



A fantastic italian story

1971

Marco Arata and Attilio Rapallini, true sea lovers just barely into their twenties, start small-scale production of pronged heads and spear heads from scratch and SEAC (Subacquea E Affini Carasco) is founded.





1975

The first logo is created and the first official SEAC catalog is published.



1980

Production of the first spring-loaded and sling spearguns starts.



1982

SEAC reaches another milestone with the manufacture of new wetsuits, including the legendary Privilege.



1985

The development and production of the legendary Asso speargun mark yet another important step for SEAC and the spearfishing world as a whole.



1988

Stefano Makula, a SEAC testimonial, reaches an incredible depth of -102 meters in variable weight freediving on the island of Giannutri and thus becomes world champion.



1989

Production expands with the new SEAC BCDs, including the Jump model.



1990

SEAC inaugurates its new plants in San Colombano Certenoli.



1993

A new adventure starts with in-house production of regulators.



1995

The first Extreme mask! 25 years old icon.



1999

In April, Nicola Brischigiaro breaks a new scientific world record in distance freediving under ice (85m in 1'40") on Lake Verney, using SEAC equipment.



2001

SEAC designs and manufactures a revolutionary BCD: the Pro2000.





2004

The second generation of SEAC arrives when Daniele Arata joins the company.



2006

SEAC further expands its product range and divides it into different lines: SCUBA, Snorkeling, Freediving, Swimming.



2007

The Icaro BCD wins the RedDot Award Product Design 2007.





2008

SEAC has a new in-house workshop built, dedicated to regulators, with state-of-the-art ANSTI machines and new-generation technologies.



2010

New models of the SCUBA and freediving fins are developed and produced and expand the SEAC range even further.



2012

Marco Maestri joined SEAC and launched the branch in the United States, SEAC USA Corp. in the City of New York. SEAC USA has relocated to Miami in 2015



2014

After meticulous research, SEAC develops its first range of LED torches, including the renowned "R" series.



Design and manufacture start of the first full-face mask: Unica.



2018

The new Driver and Partner wrist-mount diving computers arrive on the market, followed by Action and Action HR.







2019)

SEAC opens a department dedicated to plastic molding of masks and fins at its San Colombano Certenoli plant.



2021 the story continues on the following pages ...



### TABLE OF CONTENTS

SCUBA	
COMPUTERS AND INSTRUMENTS	6
REGULATORS	15
BCDs	32
LIGHTS	42
KNIVES	49
DIVING SUITS	55
BAGS AND ACCESSORIES	73
FINS	80
MASKS AND SNORKELS	87
SNORKELING	
FULL-FACE MASKS	103
FINS AND MASKS	111
SNORKELING SETS AND ACCESSORIES	120

FREEDIVING	
COMPUTERS	127
KNIVES AND LIGHTS	130
WETSUITS	138
ACCESSORIES	147
FINS	150
MASKS AND SNORKELS	158
SPEARGUNS	167
SWIMMING	
SWIMMING FINS	180
GOGGLES	185
ACCESSORIES	192

© PHOTO CREDITS
Stefano D'Urso & Santo Acciaro - Alberto Balbi
Cristian Umili - Francesca Cambi - Renata Romeo
ASD Blue Discovery
Gianni Risso apneaworld.com - Tudor Fulga

**GRAPHIC DESIGN** SEAC® Advertising Department

### TERMS & CONDITIONS

This price list supersedes all previous lists. Prices are effective January 1st 2021 - December 1st, 2021. All indicated prices are subject to change at any time.

### SHIPMENT

- Goods are intended as delivered ex works. Goods will be shipped using the most appropriate means of transport.
- Even when goods are shipped free destination, they will travel at customer's risk.
- Any shortage or damage to the goods must be notified directly to the carriers.

### PACKING

Free of charge

### **DELIVERY**

- The delivery terms indicated on the order sheet have to be intended as approximate.
- The order may be fulfilled in several consignments.
- Any cancellations of orders or remaining balances must be notified to SEAC® USA within 15 days from the order date, afterwards we will consider the order or the order balance as being automatically confirmed.

### CONDITIONS

• To assist in the orders preparation, we reserve the right to change the quantities, to bring them into line with standard packaging.

### PAYMENT

- Net 30 days with approved credit. Please pay oldest invoice first: indicate invoice and authorized dealer number on your check.

- We accept Visa, MasterCard and American Express drawn on U.S. bank.
  All payments are to be made in U.S. currency. For Credit Card payments the card must be drawn on U.S. bank, otherwise a 2% surcharge applies.
- · A monthly service charge of 2% will be applied on invoices unpaid after the due date. In the event that this late charge exceeds the maximum permitted by applicable law, it shall be reduced to the legal maximum.

  In case of non-payment at the agreed due date, the interest on overdue payment will be charged at the current official rate of interest.
- · Any complaints will not suspend the obligation of payment.
- Special conditions differing from those indicated herein must be confirmed in writing from SEAC® USA.

### SHIPPING TERMS

- Dealers receive free freight if order exceeds 1,500.00 within the Continental United States via best method.
- Past due accounts will not receive free freight.
  There will be a minimum shipping and handling fee of 5.00 for all parts orders.
- · A service charge of \$ 12.75 will be assessed on orders of less than 100.00. This does not apply to orders for repair and/or replacement parts.

- A 30.00 service charge will be assessed for all returned checks or declined Credit Card charges.
   Freight Free Orders not paid within specified terms will constitute the billing of the freight charges that were originally not billed.
   SEAC\* products may only be sold at agreed upon store locations. Change of name, ownership or address must be approved in writing by SEAC\* USA,
- in order for you to continue as an authorized dealer of SEAC® USA.

  Possession of a price list does not constitute an offer to sell. SEAC® USA reserves the right to accept or reject all orders.

### RETURN AND REPLACEMENT

- Defective merchandise may not be returned without the consent of SEAC® USA.
  Authorized returns must be freight prepaid. All returns must be authorized by SEAC® USA and be accompanied by an RA number and letter of instructions.
  All claims must be made within 10 days after receipt of merchandise, including shortages, or the claim shall be denied.
- All shortage claims must be made within 10 days after receipt of merchandise, including shortages, of the claim shall be defined.
   All shortage claims must be done in writing and acknowledged by the SEAC® USA office in Miami, FL. All shortage claims require the original shipping cartons from SEAC® to be in the possession of the consignee. Therefore, cartons may not be discarded until an investigation is provided by the freight carrier or SEAC® USA.
   Any return without an RA number on the outside of the package will be refused.
   Returns may only be submitted from authorized SEAC® USA facilities. These facilities may not authorize returns to SEAC® USA by consumers.
   Any return unclaimed after six months shall be destroyed.

- A 25% re-stocking fee shall be placed on authorized returns of saleable merchandise and on refused shipments.
- Freight will be billed on refused shipments.
- All resalable merchandise must be returned in its original packaging and condition.
   Any defaced products will be subjected to a minimum 50% restocking fee. However, SEAC® USA reserves the right to refuse credit on any returned merchandise.
- Returns will not be authorized for merchandise shipped more than 60 days prior to the request date for return.
- Discontinued items may not be returned for credit.

### WARRANTY

- SEAC® warrants all products to be free of defects at the time of shipment and for the periods outlined in the enclosed warranty, or as otherwise specified within warranty coverage included with products.

  • All SEAC® USA products carry a one year warranty against manufacturers defects, unless otherwise specified.
- SEAC® USA maintains the right to void any warranty within the one year period if product misuse/abuse is determined.
   Warranty is only valid to original purchasers of SEAC® products purchased in the United States of America with a Proof of Purchase, and they are not transferable or valid on used products.
- Products purchased through non-authorized facilities will not be covered under any SEAC® Warranty.
   Any products that prove to be defective within the warranty period may be returned prepaid to SEAC® USA. SEAC® USA must be contacted prior to the return and an RA# number will be issued. SEAC® will repair or replace the product and return it prepaid.
- SEAC® USA reserves the right to substitute the product with a product of equal or higher value.

### AUTHORIZED DEALERS

Dealer must maintain a retail storefront and offer all of the following services:

- Scuba certification.
- Sales and service of SEAC® products, including warranty repair.
- Access to air fills.
- · All authorized dealers of SEAC® products are required to maintain yearly minimum purchases of 5000. In the event of a dealer not meeting these requirements, SEAC® USA maintains the right to discontinue its business relationship with said dealer.

  • All SEAC® products displayed on a Dealer's website must be in stock and on display in the retail store.
- Dealer must notify SEAC\* USA in writing of it's desire to market SEAC\* products via e-commerce. SEAC\* USA will review the request and respond accordingly within two weeks. A written approval from SEAC\* USA is required prior to offering SEAC\* products for sale via e-commerce.

  Only approved SEAC\* images may be used on the dealer's website.

### MINIMUM ADVERTISED PRICE (MAP)

- MAP price represents a minimum advertised price.

   MAP designated products may not be advertised for sale at a price less than the MAP price.
- MAP products cannot be sold in conjunction with products that do not have a MAP price policy.
- Any SEAC® products featured on a website must list the price as reflected in the Price Guide (MAP price or higher).
   Dealer must not use any words "discount," "cheap," "wholesale," or any phrases such as "never undersold," cheapest prices," "lowest prices," "blow out price" in conjunction with the use of any SEAC® content.
- "Call for price" or similar sentences are not allowed when advertising SEAC® products.

### PROGRAM TERMS AND CONDITIONS

- Sales period: January 1st, 2021 through December 31st, 2021.
- Minimum Purchase Requirements: Dealers must agree to purchase a minimum of 3,500 for the period January 1, 2021 through December 31, 2021.
   Dealers that do not achieve the minimum purchase requirements will be placed in nonparticipating status, and must re-qualify by submitting an order which achieves the minimum new dealer opening requirements.

### **BUYING LEVELS**

### **OPENING ORDER BUYING LEVELS**

\$ 3,500 - \$ 5,000	DEALER	0% DISCOUNT	\$ 1,500 - \$ 2,500
\$ 5,000 - \$ 10,000	LEVEL 1	5% DISCOUNT	\$ 2,500 - \$ 3,500
\$ 10,000 - \$ 15,000	LEVEL 2	10% DISCOUNT	\$ 3,500 +
\$ 15,000 +	LEVEL 3	15% DISCOUNT	

\$ 1,500 - \$ 2,500	LEVEL 1
\$ 2,500 - \$ 3,500	LEVEL 2
\$ 3,500 +	LEVEL 3





# **ACTION HR** (HIGH RESISTANCE)









www.seacsub.com

**NEW** 

COLOR

### ACTION HR

- LCD screen with contrast and adjustable backlight intensity.
- SCUBA MODE: Bühlmann Zhl-16c algorithm managing up to 2 gas and O2% up to 99%.
- FREEDIVING MODE: Dive/surface time, current/maximum depth.
- GAUGE MODE: Depth gauge and stopwatch to manage your dive profiles independently.

ACTION HR	PN
BLACK/RED	1600006000538A
BLACK	1600006000520A
BLACK/BLUE	1600006000525A

www.seacsub.com

## **ACTION**











### ACTION

- LCD screen with contrast and adjustable backlight intensity.
- SCUBA MODE: Bühlmann Zhl-16c algorithm managing up to 2 gas and O2% up to 99%.
- FREEDIVING MODE: Dive/surface time, current/maximum depth.
- GAUGE MODE: Depth gauge and stopwatch to manage your dive profiles independently.

ACTION	PN
BLACK	1600005000520A
BLACK/WHITE	1600005000524A
BLACK/BLUE	1600005000525A

## **SCREEN**













1600008000525A



1600008000538A











330 FT. WATER RESISTANT



ADJUSTABLE BACKLIGHT



LCD SCREEN



DATE



OS/WINDOWS DIVE MANAGER



USB CABLE (OPTION)



CR2450 BATTERY



ALARM



USB CABLE FOR SCREEN

PN 1630029000000A

- LCD screen with contrast and adjustable backlight intensity.
- SCUBA MODE: Bühlmann Zhl-16c algorithm managing up to 2 gas and O2% up to 99%.
- FREEDIVING MODE: Dive/surface time, current/maximum depth.
- GAUGE MODE: Depth gauge and stopwatch to manage your dive profiles independently.

SCREEN	PN
BLACK/WHITE	1600008000524A
BLACK/BLUE	1600008000525A
BLACK/RED	1600008000538A

## **SCREEN CONSOLE**













330 FT. WATER RESISTANT



ADJUSTABLE BACKLIGHT



LCD SCREEN



DATE



OS/WINDOWS DIVE MANAGER



USB CABLE (OPTION)



CR2450 BATTERY



ALARM



ANTI-SCRATCH SHIELD INCLUDED



PRESSURE GAUGE INCLUDED



Console including computer Screen and pressure gauge.



1600011000000A



ANTI-SCRATCH SHIELD

### **ACTION STRAP**





ACTION		PN	
	BLACK	1630020000520A	
	BLACK/WHITE	1630020000524A	
	BLACK/BLUE	1630020000525A	

HR BUCKLE	PN		
BLACK/RED	1630022000538A		
BLACK	1630022000520A		
BLACK/BLUE	1630022000525A		

## **ACTION USB DATA CABLE**



PN 1630021000000A

## **ACTION STRAP EXTENSION**



PN

### **SCREEN STRAP**



COLOR		PN
	BLACK/WHITE	1630035000524A
	BLACK/BLUE	1630035000525A
	BLACK/RED	1630035000538A

## **SCREEN USB DATA CABLE**



PN 1630029000000A

## **SCREEN CONSOLE ANTI-SCRATCH SHIELD**





PN

## **COMPACT PRESSURE GAUGE**





- Hose: 80 cm high-performance HP.Scale: 0-5000 psi.

PN

0600010003000A

## **CONSOLE 2**



- Hose: 80 cm high-performance HP.Scale: 0-5000 psi.Depth gauge: Scale: 0-200 ft.

PN

0600011005000A

## **CONSOLE 3**







Includes pressure gauge, depth gauge and compass.

PN



## **DIVE PACKAGE - MODULAR**



1600005000520A



0600010003000A



0350072000004A



0420037000998A



0350074000000A



Seac Modular Package is a scuba diving equipment kit consisiting of Seac Modular rear bladder BCD, Seac DX200 INT regulator + Seac X100 octo, Seac Action HR dive computer and a compact pressure gauge.

MODULAR	DX 200	X100 OCTO	ACTION	SPG
0.420027000000	02500720000044	0250074000000	16000050005204	06000100020004

## **DIVE PACKAGE - EQ-PRO PREMIERE**



1600011000000A



PN VARIES BY SIZE



0350072000004A



0350074000000A







Scuba diving package consisiting of Seac Eq-Pro BCD, Seac DX200 INT regulator + Seac X100 octo, Seac Screen dive computer and a compact pressure gauge available as a console or wrist mount unit + SPG.

SIZES	EQ-PRO	SCREEN CONSOLE	DX200	X100 OCTO
XS	0420040000025A	1600011000000A	0350072000004A	0350074000000A
S	0420040000040A	1600011000000A	0350072000004A	0350074000000A
M	0420040000055A	1600011000000A	0350072000004A	0350074000000A
L	0420040000080A	1600011000000A	0350072000004A	0350074000000A
XL	0420040000105A	1600011000000A	0350072000004A	0350074000000A

## **DIVE PACKAGE - EQ-PRO ESSENTIAL**



1600011000000A



PN VARIES BY SIZE



0350071000004A



0350038000000A



**OPTIONAL** 



Scuba diving package consisiting of Seac Eq-Pro BCD, Seac MX100 INT regulator + Seac Synchro octo, Seac Screen dive computer and a compact pressure gauge available as a console or wrist mount unit + SPG.

SIZES	EQ-PRO	SCREEN CONSOLE	MX100	OCTO SYNCHRO
XS	0420040000025A	1600011000000A	0350071000004A	0350038000000A
S	0420040000040A	1600011000000A	0350071000004A	0350038000000A
M	0420040000055A	1600011000000A	0350071000004A	0350038000000A
L	0420040000080A	1600011000000A	0350071000004A	0350038000000A
XL	0420040000105A	1600011000000A	0350071000004A	0350038000000A

## **DIVE PACKAGE - SMART**




1600011000000A

PN VARIES BY SIZE







Scuba diving package consisiting of Seac Smart BCD, Seac P-Synchro INT regulator + Seac Synchro octo, Seac Screen dive computer and a compact pressure gauge available as a console or wrist mount unit + SPG.

SIZES	SMART	SCREEN CONSOLE	P-SYNCHRO	OCTO SYNCHRO
XXS	0420034000015A	1600011000000A	0350029000004A	0350038000000A
XS	0420034000025A	1600011000000A	0350029000004A	0350038000000A
S	0420034000040A	1600011000000A	0350029000004A	0350038000000A
М	0420034000055A	1600011000000A	0350029000004A	0350038000000A
L	0420034000080A	1600011000000A	0350029000004A	0350038000000A
XL	0420034000105A	1600011000000A	0350029000004A	0350038000000A

## DX200 ICE INT 230 BAR



## DX200 ICE DIN 300 BAR



- First Stage:

   Made of Sand-blasted forged brass.

   High-performance balanced diaphragm design:
  The Intermediate Pressure is always constant during the dive at any depth.
- ICE Kit: fully isolates all moving parts from contact with the water, ensuring excellent thermal protection in cold water.
- Simple and fast maintenance.
- HP ports: 2LP ports: 4
- Replaceble stainlees-steel Valve Seat: designed to offer great safety, it can be easily disassembled to make maintenance easy.

- Made of technopolimers, elastomers, and metal componets.
- Front cover enhanced with rust-proofing and scratch-resistant Luxury Technology treatment.
  Adjustable breathing effort and Venturi effect.
  OWS System: the Cover is designed to prevent free flow even in strong currents.




DIN OR INT VERSION





Breathing effort at 50 msw and 50 bar: 0.63 J/l.



MODEL	PN	WEIGHT (lbs)
INT 230 BAR	0350072002004A	2.3
DIN 300 BAR	0350072002005A	2.6

## **DX200** INT **230** BAR



## DX200 DIN 230/300 BAR



### First Stage:

- Made from Sand-blasted forged brass.
  High-performance balanced diaphragm design:
  The Intermediate Pressure is always constant during the dive at any depth.
- Simple and fast maintenance.

DIN 300 BAR


- HP ports: 2LP ports: 4
- Replaceble stainlees-steel Valve Seat: designed to offer great safety, it can be easily disassembled to make maintenance easy.

- Second Stage:

  Made of technopolimers, elastomers, and metal componets.
- Front cover enhanced with rust-proofing and scratch-resistant Luxury Technology treatment.
- Adjustable breathing effort and Venturi effect.
- OWS System: the Cover is designed to prevent free flow even in strong currents.



DIN OR INT VERSION




0350072000005A

2.2





Breathing effort at 50 msw and 50 bar: 0.63 J/l.



## MX100 INT 230 BAR



### First Stage:

Made from chrome-plated polished brass.
 High-performance balanced diaphragm design:
 The Intermediate Pressure is always constant during the dive at any depth.

- Inetrmediate Pressure can easily adjusted.
- Simple and fast maintenance.
- HP ports: 2; LP ports: 4
   Replaceble stainlees-steel Valve Seat: designed to offer great safety, it can be easily disassembled to make maintenance easy .


### Second Stage:

- made by technopolimers, elastomers, and metal componets.
- Front cover enhanced with rust-proofing and scratch-resistant Luxury Technology treatment.
- Adjustable Venturi effect (Dive/Pre Dive).
- New Lever: less friction makes breathing more natural.
  OWS System: the Cover is designed to prevent free flow even in strong currents.



INT VERSION







## P-SYNCHRO INT 230 BAR



## P-SYNCHRO DIN 230 BAR



- First stage:
   made by polished chrome-plated brass.
   Compensated Piston.
- Maintenance is simple and fast.
- HP ports: 1LP ports: 4
- Shockproof rubber cap.


- Second Stage:
   made with ultralight technopolimers.
   Cover made in shockproof rubber.
   Adjustable Venturi effect (Dive/Pre Dive).
- Easy Purge System: the oversized purge button is easy to use.





Breathing effort at 50 msw and 50 bar: 0.91 J/l.





## **X100 OCTO**





- Material: ultra light technopolymers and elastomers.
- Material, dital light technopolymers and elastomers.
   100 cm Hiflex hose.
   The lack of holes in the front cover prevents free flow even when facing strong currents (OWS System).
   Option to regulate the Venturi Effect (Dive/Pre Dive).
   Cap manufactured with corrosion and scratch-resistant Luxury
- Technology treatment.

WEIGHT (lbs) PN 0350074000000A

## **SYNCHRO OCTO**





Material: ultralight technopolymers.
Option to regulate the Venturi Effect (Dive/Pre Dive). Functional Easy Purge System cap.

PN WEIGHT (lbs) 0350038000000A 0.85

## SET DX200 INT 230 BAR









INT VERSION



BAG INCLUDED











Set including DX200 regulator and X100 OCTO. Mate Reg bag included.

PN

WEIGHT (lbs)

0350090000004A

3.3

## SET MX100 INT 230 BAR





INT VERSION



BAG INCLUDED



Set including MX100 regulator and X100 OCTO. Mate Reg bag included.

PN WEIGHT (lbs)
0350089000004A 2.6

## SET P-SYNCHRO INT 230 BAR









Set including P-SYNCHRO INT regulator and SYNCHRO OCTO.

PN WEIGHT (lbs)
0350028000004A 3.2

## X200 2<sup>ND</sup> STAGE



PN

0350078000000A

# X100 2<sup>ND</sup> STAGE



PN

0350077000000A

# SYNCHRO 2<sup>ND</sup> STAGE



PN

## D ICE 1<sup>ST</sup> STAGE





MODEL	PN
ICE INT 230 BAR	0350075002004A
ICE DIN 230 BAR	0350075002003A
ICE DIN 300 BAR	0350075002005A

# D 1<sup>ST</sup> STAGE





MODEL	PN
INT 230 BAR	0350075000004A
DIN 230 BAR	0350075000003A

# M 1<sup>ST</sup> STAGE



MODEL	PN
INT 230 BAR	0350076000004A

# P 1<sup>ST</sup> STAGE





MODEL	PN
INT 230 BAR	0350009000003A
DIN 230 BAR	0350009000004A

### **DIN/INT CONNECTOR**



DIN regulator to INT valve connector.

PN

1110050000000A

### **HOSE GUARD**



PN

1120078520000A

### **REGULATOR MOUTHPIECE**

Universal regulator mouthpiece.



### **ROUND OCTOPUS HOLDER**



Round octopus holder.

PN

Download the replacement part catalog:











DESCRIPTION	PN	DEALER	LEVEL 1	LEVEL 2	LEVEL 3	SRP	MAP
D ICE 1ST STAGE DIN SERVICE KIT	0390368000000A	22.00	20.90	19.80	18.70	44.00	44.00
D ICE 1ST STAGE INT SERVICE KIT	0390366000000A	22.00	20.90	19.80	18.70	44.00	44.00
X200 2 <sup>ND</sup> STAGE SERVICE KIT	0390362000000A	9.50	9.03	8.55	8.08	19.00	18.00

**D 1**<sup>ST</sup> **STAGE** 2 HP PORTS 4 LP PORTS







DESCRIPTION	PN	DEALER	LEVEL 1	LEVEL 2	LEVEL 3	SRP	MAP
D 1 <sup>ST</sup> STAGE DIN SERVICE KIT	0390367000000A	22.00	20.90	19.80	18.70	44.00	44.00
D 1 <sup>ST</sup> STAGE INT SERVICE KIT	0390365000000A	22.00	20.90	19.80	18.70	44.00	44.00
X200 2 <sup>ND</sup> STAGE SERVICE KIT	0390362000000A	10.00	9.50	9.00	8.50	20.00	20.00

M 1<sup>ST</sup> STAGE 2 HP PORTS 4 LP PORTS







DESCRIPTION	PN	DEALER	LEVEL 1	LEVEL 2	LEVEL 3	SRP	MAP
M 1ST STAGE DIN SERVICE KIT	0390363000000A	19.50	18.53	17.55	16.58	39.00	39.00
M 1 <sup>ST</sup> STAGE INT SERVICE KIT	0390364000000A	19.50	18.53	17.55	16.58	39.00	39.00
X100 2 <sup>ND</sup> STAGE SERVICE KIT	0390361000000A	9.50	9.03	8.55	8.08	19.00	19.00


P 1<sup>ST</sup> STAGE 1 HP PORT 4 LP PORTS







DESCRIPTION	PN	DEALER	LEVEL 1	LEVEL 2	LEVEL 3	SRP	MAP
P/X-5 P 1 <sup>ST</sup> STAGE DIN SERVICE KIT	0390003000000A	10.00	9.50	9.00	8.50	20.00	20.00
P/X-5 P 1 <sup>ST</sup> STAGE INT SERVICE KIT	0390002000000A	10.00	9.50	9.00	8.50	20.00	20.00
SYNCHRO 2 <sup>ND</sup> STAGE SERVICE KIT	0390004000000A	8.50	8.08	7.65	7.23	17.00	17.00





### **MODULAR MAX**







EXTRA LIGHT: 3.1 KG (6.8 LBS)



IDEAL FOR DIVE TRAVEL



4 METAL D-RINGS



CORDURA®



LIFT: 20.0 KG (44 LBS)



2 TRIM POCKETS INCLUDED





**FULLY MODULAR** 



ADJUSTABLE HARNESS









- SEAC® Modular Max is the evolution of Modular, SEAC's rear-volume recreational BCD designed for use with dual tanks.
   Donut bladder with 44 lbs of lift in durable 1680 Denari Ballistic Nylon outside and internal air chamber in polyurethane. Features a piston inflator and two quick discharge valves arranged to make it possible to dump quickly from any position.
- Freely customizable: every part of the SEAC® Modular Max BCD is interchangeable.
- You can simply and quickly adjust the structure of the BCD and find just the right buoyancy in any situation.
- Standard connections: the backpack for the SEAC® Modular Max BCD can accommodate different bladders and backpacks thanks to its standard-gauge eyelets for

- fastening using straps and other fasteners. The padding prevents any irritation from clamps in contact with the back.

  Convenient for travel: SEAC® Modular Max is the BCD that fits conveniently in your luggage, making it ideal for dive vacations.

  It disassembles quickly, takes up little space, and weighs just 6.8 lbs, so you can use your own BCD, set to just how you need it, even when you travel.

  The standard equipment for the Modular Max includes: harness with removable shoulder straps and soft backpack with removable steel core, 44 lbs dual donut bladder, 2 pockets with quick weight release, 4 anodized aluminum D-Rings, and waist buckle in stainless steel.

MODULAR MAX				
PN	0420039000998A			
SIZE	ONE SIZE			
LIFT	20.0 (kg)   44 (lbs)			
WEIGHT	3.1 (kg)   6.8 (lbs)			



## **MODULAR**







EXTRA LIGHT: 3 KG (6.6 LBS)



IDEAL FOR DIVE TRAVEL



4 METAL D-RINGS





CORDURA®



LIFT: 13.6 KG (30 LBS)



2 TRIM POCKETS INCLUDED



FULLY MODULAR



ADJUSTABLE HARNESS







- Freedom, made to measure: every part of the SEAC® Modular BCD is interchangeable. You can simply and quickly adjust the structure of the BCD and find just the
- right buoyancy in any situation.

  Standard connections: the backpack for the SEAC® Modular BCD can accommodate different bags and backpacks thanks to its standard-gauge eyelets for fastening using straps and other fasteners. The padding prevents a irritation from clamps in contact with the back.

  Convenient for travel: SEAC® Modular is the BCD that fits conveniently in your luggage, making it ideal for dive vacations. It disassembles quickly, takes up little
- space, and weighs just 6.6 lbs, so you can use your own BCD set to just the right measurements even when you travel.

  Basic equipment: the basic SEAC® Modular equipment includes: harness with removable shoulder straps and soft backbone with removable steel core, a 30 lbs donut double bladder, 2 quick-release pockets for weights, anodized aluminum D-rings and stainless steel waist buckle.

MODULAR				
PN	0420037000998A			
SIZE	ONE SIZE			
LIFT	13.6 kg (30 lbs)			
WEIGHT	3 kg (6.6 lbs)			



## **EQ PRO**







EXTRA LIGHT



IDEAL FOR DIVE TRAVEL



8 METAL D-RINGS



EASY WEIGHT SYSTEM



4 POCKETS INCLUDED



COMFORT FIT





LOW-DRAG DESIGN



- Ultra-practical harness: quick and easy to put on. Simply fasten the flat center buckle and adjust the front straps and shoulder straps.
   "Frame to back" system: the adjustments for the shoulder straps start directly from the backpack. The BCD won't warp, so the weight stays distributed

2 TRIM POCKETS INCLUDED

- Independent bladder: The bladder in the SEAC® EQ-PRO "slides" along the harness completely independently. When inflated, the pocket area rests comfortably along your sides, so it won't squeeze your abdominal area.
   Functional, low-drag design: even more compact bladder and a contour designed to be more hydrodynamic. Handle inside the backpack, making it easy
- to transport.

  Excellent fit for men and women: 3D Mesh inserts wrap fully around the shoulder straps and prevent rubbing.
- Swivel buckles adapt the harness to the female body. Available in 5 sizes.
- Dry weight (size L): 7.7 lbs (including hose).
- Rear weight pockets standard (Trim Pocket).

SIZE	XS	S	M	L	XL
PN	0420040000025A	0420040000040A	0420040000055A	0420040000080A	0420040000105A
LIFT	9.5 kg (20.9 lbs)	9.5 kg (20.9 lbs)	14.5 kg (31.9 lbs)	15.5 kg (34.1 lbs)	17.5 kg (38.5 lbs)
WEIGHT	3.3 kg (7.3 lbs)	3.3 kg (7.3 lbs)	3.4 kg (7.5 lbs)	3.5 kg (7.7 lbs)	3.5 kg (7.7 lbs)

#### **SMART**



CORDURA®



6 METAL D-RINGS

Traditional BCD in 1000D Cordura fabric, zip-closure pockets and Safety Release system for quickly releasing weights. Models with stainless steel rings and chest adjustment to two different positions.

Bladder external material: PU-coated 1000D Cordura. Bladder internal material: PU-coated 500D Cordura.

Dump valves: 3, with pull cord.
"D" rings: Six 25-mm in stainless steel.
Dry weight (size L): 6.8 lbs (including hose).
Integrated weight: safety release system.





SIZE	XXS	XS	S	M	L	XL
PN	0420034000015A	0420034000025A	0420034000040A	0420034000055A	0420034000080A	0420034000105A
LIFT	9.7 kg (21.4 lbs)	9.7 kg (21.4 lbs)	11.3 kg (24.7 lbs)	15.4 kg (33.7 lbs)	17.4 kg (40.3 lbs)	18.4 kg (40.3 lbs)
WEIGHT	2.8 kg (6.2 lbs)	2.8 kg (6.2 lbs)	2.9 kg (6.4 lbs)	3.0 kg (6.6 lbs)	3.1 kg (6.8 lbs)	3.2 kg (7 lbs)

# **EGO**



CORDURA®



4 METAL D-RINGS



IDEAL FOR DIVING CENTER



JUNIOR SIZES

Traditional BCD made entirely in 1000D Cordura, including the bladder, pockets, and shoulder pads. Stainless steel rings and slots for housing the Octopus or dive instruments. Model with chest adjustment to two different positions.

Bladder external material: PU-coated 1000D Cordura. Bladder internal material: PU-coated 1000D Cordura.

Dump valves: 3, with pull cord. "D" rings: Four 25-mm stainless steel. Dry weight (size L): 6.8 lbs (including hose).



SIZE	XXXS	XXS	XS	S	M	L	XL
PN	0420005000005A	0420005000015A	0420005000025A	0420005000040A	0420005000055A	0420005000080A	0420005000105A
LIFT	9.7 kg (21.4 lbs)	9.7 kg (21.4 lbs)	10.2 kg (22.5 lbs)	11.2 kg (24.7 lbs)	15.3 kg (33.7 lbs)	17.3 kg (40.3 lbs)	18.3 kg (40.3 lbs)
WEIGHT	2.8 kg (6.2 lbs)	2.8 kg (6.2 lbs)	2.8 kg (6.2 lbs)	2.9 kg (6.4 lbs)	3.0 kg (6.6 lbs)	3.1 kg (6.8 lbs)	3.2 kg (7 lbs)

#### **Q&S POCKET FOR MODULAR**

Q&S (Quick&Safe) quick-release pocket for integrated weights up to 8.8 lbs, and universal eyelets for fastening your BCD knife.







PN

0480380000000A

#### WEIGHT/OBJECTS POCKET FOR MODULAR

Multipurpose pocket for accessories and weights in 1680 Denari ballistic Nylon with zipper, universal eyelets for fastening your BCD knife, and Velcro flap for quick-release of weights (up to 8.8 lbs).







PN

0480464000000A

#### TRIM POCKET FOR MODULAR

Trim pockets for weights up to 4.4 lbs with a Velcro flap for quick release.







PN

0480459000000A

#### **ALUMINUM BACKPLATE FOR MODULAR**



0480477000000A



MODULAR

0480476000000A



PN

0450009000000A

0480476000000A

#### **EQ PRO WEIGHT POCKET**

Q&S (Quick&Safe) quick-release pocket for integrated weights up to 8.8 lbs.





PN

0480478000000A

#### **ALUMINUM BACKPLATE FOR MODULAR 2019**







PN

0450004000000A

#### **SCS INFLATOR**

Inflator with sphere control system.



PN

0480466000000A

## **ERGONOMIC HOSE RETAINER**



Plastic hose retainer clip.

PI

#### **OVERPRESSURE VALVE WITH CABLE**



CABLE LENGTH (in)	PN
23.6	0480036000000A
11	0480035000000A

# **HIFLEX REGULATOR HOSE**

#### MADE IN ITALY



- Standard: 30.7 in, black M 3/8".
- Octopus: 39.4 in, yellow M 3/8".

MODEL	PN
STANDARD HIFLEX 30.7 in	0390035000000A
OCTO HIFLEX 39.4 in	0390036000000A
STANDARD 30.7 in	0390033000000A
OCTO 39.4 in	0390034000000A
OCTO 78.7 in	0390124000000A

# **REGULATOR HOSE**

MADE IN ITALY



- Standard: 30.7 in, black M 3/8".
- Octopus: 39.4 in, yellow M 3/8".
  Octopus: 78.7 in, yellow M 3/8".

# **BCD INFLATOR HOSE**



Male 3/8" 26.38 in.

PN

#### **DRY SUIT HOSE**




PN

0390037000000A

## **HP HOSE + SWIVEL**

MADE IN ITALY


Universal pressure gauge hose with swivel.













SCUBA 2021

## **SZ 5000**







SZ 5000 BATTERY LED LIGHT -- USB-C

- Battery pack: Li-lon 7800 mAh rechargeable via USB-C connection.
   Operating modes: max power, reduced power, flashing.
   Safety lock to avoid switching on accidentally.

PN 0500027520000A













KELVIN 5700~7300

WATT 40

Internal Li-Ion 7800 mAh

SWITCH LOCK

LUMEN POWER High 4200 - Low 1500





WEIGHT













**BEAM ANGLE** 12°

1.53 lbs

MAX DEPTH 330 ft.

DIAMETER 2.56 in

LENGTH 7.0 in

LED 3 SST 40

Min power burn-time 2.5 hours

Max power burn-time 1 hours


#### **R40**



- Battery: Li-Ion 26800 5400 mAh rechargeable via Micro-USB.
- · Light width beam: zoom adjustable, from 12° to 75°.
- Operating modes: max power, reduced power, flashing.
- Safety lock to avoid switching on accidentally.

PN

0500024020000A



# **R30**



- Battery: Li-lon 26650 rechargeable via Micro-USB.
  Light width beam: zoom adjustable, from 12° to 75°.
  Operating modes: max power, reduced power, flashing.
- · Safety lock to avoid switching on accidentally.

PN

0500022020000A





BEAM ANGLE





26650



OPTIONAL HOLDER 0530104000000A







12° to 75°















WEIGHT 1.05 lbs

MAX DEPTH 330 ft.

DIAMETER 2.44 in

LENGTH 6.7 in

LED 3 CREE XPG2

Min power burn-time 5 hours

Max power burn-time 2 hours

#### **R15**

- Battery: Li-Ion 18650 rechargeable via Micro-USB.
- Light width beam: zoom adjustable, from 12° to 75°.
- Operating modes: light intensity adjustable using magnetic switch.
   Safety lock to avoid switching on accidentally.

PN

0500025020000A





KELVIN 5700~7300



BEAM ANGLE 12° to 75°



WATT 9



Internal Li-Ion 18650



SWITCH LOCK







WEIGHT 0.66 lbs



MAX DEPTH 330 ft.



LENGTH 1.85 in 6.5 in



LED 1 CREE XPL



Min power burn-time



Max power burn-time 2 hours

## **R5**

- Battery: Li-Ion 18650 rechargeable via Micro-USB.
   Light width beam: zoom adjustable, from 12° to 75°.
- Operating modes: light intensity adjustable using magnetic switch.
- Safety lock to avoid switching on accidentally.

PN

0500005020000A





BEAM ANGLE 12° to 75°



330 ft.









5700~7300



MAX DEPTH

DIAMETER

1.85 in



6.5 in

LED

1 CREE XPG2



5 hours

Max power burn-time

2 hours



## **R3**

- Battery: Li-Ion 18650 rechargeable via external charger (included) with USB connection.
- Operating modes: max power, reduced power, flashing.
  Safety lock to avoid switching on accidentally.

PN

0500004020000A















KELVIN 5700~7300

90






18650







POWER 400 Lumen

WEIGHT 0.56 lbs

MAX DEPTH 330 ft.

DIAMETER 1.65 in

LENGTH 5.5 in

LED 1 CREE XPG2

Min power burn-time 8 hours

Max power burn-time 2 hours

# **T5**

- · Light width beam: 9°.
- Switch: pressure button.
- Safety lock to avoid switching on accidentally.



OPTIONAL 0530097000000A



OPTIONAL 0530098000000A



OPTIONAL 0530099000000A





5700~7300

BEAM ANGLE







300 Lumen





0.28 lbs



330 ft.



1.26 in

5



5.7 in



Burn-time 2.2 hours

MODEL	PN
Т5	0500026020000A
RECHARGEABLE BATTERY (OPTIONAL)	0530097000000A
BATTERY CHARGER (OPTIONAL)	0530098000000A
USB CABLE (OPTIONAL)	0530099000000A



PN





# **TITANIUM**



Serrated edge titanium blade. Very lightweight.
"Double Release System" lets you pull the knife out one-handed.
It can be fastened to the weight belt, arm, inflator hose, or calf.

PN

0550022520000A













LENGTH 8.26 in

BLADE LENGTH 3.66 in

STRAPS INCLUDED

LINE CUTTER

BCD QUICK MOUNT

BLADE MATERIA TITANIUM

# **BLUNT**



PN

0550026520000A













LENGTH 7.40 in

BLADE LENGTH 3.46 in

STRAPS INCLUDED

LINE CUTTER

BCD QUICK MOUNT

BLADE MATERIAL TITANIUM

#### **HAMMER**



Dive knife with AISI 420 tempered stainless steel blade and a stainless steel end-cap hammer at the end of the grip. Blade 120 mm long, with straight edge on one side and serrated edge + line cutter on the other. Grip over-molded with soft thermoplastic rubber providing a non-slip surface for a safe grip. Reversible attachment so you can keep your knife on either side. A hole for fastening the line is provided at the end of the grip. Rigid sheath with large knife release button in the center.

PN

0550017520000A













LENGTH 9.65 in

**BLADE LENGTH** 

LINE CUTTER

STRAPS INCLUDED

**RAPID** 



AISI 420 tempered steel blade with line cutter. Shock-proof plastic sheath with updated Easy Lock system. Dual-material ergonomic handle with end-cap hammer.

PN

0550023523000A



LENGTH

9.05 in



4.13 in

- محدود المحدودة

LINE CUTTER



STRAPS INCLUDED




## **TAJAMAN**



One-piece dive knife with protective black Teflon coating. 3.62 in tempered stainless steel AISI 420 dual-cut blade, smooth and serrated, with line cutter. Length 7.87 in. Safety grip on both sides of the handle. Ultra-resistant fabric scabbard with Velcro closure. Fastens with two straps, included.

PN

0550021520000A



7.87 in

**BLADE LENGTH** 







STRAPS LINE CUTTER INCLUDED

**BLADE MATERIAL** AISI 420 BLACK TEFLON COATING

# K-JACK



Stainless steel blade fitted with built-in line cutter.

Dual-material ergonomic handle. Shockproof plastic sheath with asymmetrical Easy Lock button closure system.

PN









BCD QUICK MOUNT

LENGTH 5.9 in

**BLADE LENGTH** 2.13 in

LINE CUTTER

**BLADE MATERIAL** STAINLESS STEEL

#### **RIP-FISH**





Dive knife with Dagger type blade, featuring asymmetrical milling and sharpening on both sides. Especially well-suited for spearfishing, when you need to use it quickly for both cutting and filleting. Knife 7.08" long with 3.15" blade and 0.13" thick. 57 Hrc hardness steel (Rockwell scale). Upper section of the blade with wide-tooth serrations and lower section with straight edge. Includes connection ties and kit for fastening line. Removable grip makes it easy to clean the blade. Shockproof sheath with Rip Lock safety feature.

PN

0550007000000A



7.08 in

LENGTH BLADE LENGTH



STRAPS

INCLUDED



LINE CUTTER



BLADE MATERIAL AISI 420 TEMPERED STEEL



AISI 420 tempered steel knife with tapered blade. Dual-material ergonomic handle with end-cap hammer. Sheath with Easy Lock system. Reversible fastening. It can be fastened to the weight belt, arm, or calf.

PN

0550024530000A



9.25 in



4.13 in



INCLUDED



BLADE MATERIAL AISI 420 TEMPERED STEEL

## **SHARP**

Tapered blade with serrated edge. "Double Release System" lets you pull the knife out one-handed. Can be fastened to the arm or calf. Reversible fastening.



PN

0550025530000A





STRAPS

INCLUDED



BLADE MATERIAL AISI 420 BLACK TEFLON COATING

# **DEVIL HD**

Knife with special tempered stainless steel blade, designed specifically for underwater spearfishing. Excellent penetration and cutting ability on both edges, straight and serrated. Click sheath with Push & Pull Out system that can be operated one-handed, even when wearing gloves.



PN

0550020520000A







BLADE LENGTH 3.66 in




STRAPS INCLUDED



BLADE MATERIAL TEMPERED STAINLESS STEEL

# SAMURAI

Tempered and polished stainless steel blade for maximum resistance to corrosion.









2.36 in

BLADE MATERIAL
TEMPERED STAINLESS STEEL







#### **WARMDRY MAN 4 MM**

- External coating: Heavy Duty Poly PK + Powertex.
- · Lining: Nylon.
- Zip: DRY BDM in metal with protective flap.
- Stitching: External blind stitching.Internal neoprene Tape.
- Neck: Glide Skin.
- · Closure system on the wrists: Aquastop Smooth Skin.
- Textile bag, hood, hose and suspenders included.
- Semi-rigid boots can be turned inside out.
- Convenient large pocket in 1000D Cordura, expandable and with Velcro flap.
- Total Protection on the shoulders, elbows, knees, and lower back, in ultraresistant material.

MAN	HEIGHT	WEIGHT	CHEST	BOOTS
S	65.7-67.7 in	132-152 lbs	25.1-38.5 in	8 - 8 1/2
M	67.7-69.2 in	149-169 lbs	38.5-40.1 in	9 ½ - 10
L	69.2-70.8 in	167-187 lbs	40.1-41.7 in	10 - 11
L2P	69.2-70.8 in	185-207 lbs	44.0-46.4 in	10 - 11
XL	70.8-72.4 in	185-207 lbs	41.7-43.3 in	11 - 12
XL2P	70.8-72.4 in	205-227 lbs	45.6-48.8 in	11 - 12
XXL	72.4-74.0 in	205-227 lbs	44.0-46.4 in	12 - 12 1/2
XXL2P	72.4-74.0 in	224-251 lbs	48.0-49.6 in	12 - 12 ½
XXXL	74.0-75.5 in	224-251 lbs	45.6-48.8 in	12 ½ - 13 ½
XXXL2P	74.0-75.5 in	242-275 lbs	51.1-52.7 in	12 ½ - 13 ½
XXXXL	75.5-77.1 in	242-275 lbs	48.8-50.1 in	13 ½ - 14 ½

BAABI CIZEC	DOOTS	DNI
MAN SIZES	BOOTS	PN
S	8 - 8 1/2	0060001009040A
M	9 ½ - 10	0060001009055A
L	10 - 11	0060001009080A
L2P	10 - 11	0060001009091A
XL	11 - 12	0060001009105A
XL2P	11 - 12	0060001009121A
XXL	12 - 12 1/2	0060001009125A
XXL2P	12 - 12 1/2	0060001009141A
XXXL	12 ½ - 13 ½	0060001009145A
XXXL2P	12 ½ - 13 ½	0060001009156A
XXXXL	13 ½ - 14 ½	0060001009160A





















THICKNESS 4 mm

AQUASTOP

HOOD INCLUDED

SEMIRIGID BOOTS

BACK BDM ZIP

HEAVY DUTY

14225-2

## **UNIFLEECE**





SIZE PN S 0110002000040A M 0110002000055A L 0110002000080A XL0110002000105A XXL 0110002000125A XXXL 0110002000145A









WEIGHT 1.32 lbs

WATER REPELLENT VERTICAL ZIP

FRONT

POCKETS

# **WARMDRY LADY 4 MM**

- Dry suit.External coating: Heavy Duty Poly PK + Powertex.
- Lining: Nylon.
   Zip: DRY BDM in metal with protective flap.
   Stitching: External blind stitching.
   Internal neoprene Tape.
   Neck: Glide Skin.

- Closure system on the wrists: Aquastop Smooth Skin.
- Textile bag, hood, hose and suspenders included.
- Semi-rigid boots can be turned inside out.
   Convenient large pocket in 1000D Cordura, expandable and with Velcro flap.
   Total Protection on the shoulders, elbows, knees, and
- lower back, in ultraresistant material.

LADY				BOOTS
XS	61.4-62.9 in	88-108 lbs	33.0-34.6 in	4 ½ - 5 ½
S	62.9-64.5 in	103-123 lbs	34.6-36.2 in	5 ½ - 6
M	64.5-66.1 in	119-138 lbs	36.2-37.7 in	6 - 7
MP	64.5-66.1 in	134-154 lbs	37.7-39.3 in	6 - 7
L	66.1-67.7 in	134-154 lbs	37.7-39.3 in	7 - 8
LP	66.1-67.7 in	149-169 lbs	39.3-40.9 in	7 - 8
XL	67.7-70.0 in	149-169 lbs	39.3-40.9 in	8 - 8 1/2
XLP	67.7-70.0 in	169-196 lbs	40.9-42.5 in	8 - 8 1/2
XXL	69.2-70.8 in	169-196 lbs	40.9-42.5 in	91/2 - 10







LADY SIZES	BOOTS	PN
XS	4 ½ - 5 ½	0060001029025A
S	5 ½ - 6	0060001029040A
M	6 - 7	0060001029055A
MP	6 - 7	0060001029060A
L	7 - 8	0060001029080A
L2P	7 - 8	0060001029085A
XL	8 - 8 1/2	0060001029105A
XL2P	8 - 8 ½	0060001029115A
XXL	9½ - 10	0060001029125A



4 mm



AQUASTOP



INCLUDED



SEMIRIGID

BOOTS



BACK

BDM ZIP





14225-2

## **SPACE 7 MM**







Feeling at ease during a dive is always a matter involving many different factors, most importantly, a comfortable wetsuit. For this reason, the Space has been developed in a warm, comfortable neoprene designed for proper stretch, regardless of body shape. Seac Space is available in many sizes, designed with specific cuts for both men and women. Donning is quick and easy even in non-optimal conditions like high temperature and high humidity. It is a one-piece wetsuit made of Ultrastretch neoprene and rear zip with inner flap to ensure a barrier against water leakage. Aquastop system on wrists and ankles are provided with double neoprene cones and zippers. SEAC Space has been designed to guarantee great freedom of movement in all conditions, thanks to the embossed inserts positioned on the inside of the elbows and behind the knees. Chest and shoulder areas, the most stressed equipment friction points, have been reinforced with geometric pattern design inserts. A rubber sleeve insert has been positioned on left wrist to firmly hold your dive computer. Seac Space is available in 5 or 7 mm neoprene.

MAN			
S	65.7-69.3 in	128-154 lbs	36.2-37.8 in
M	68.9-71.3 in	150-176 lbs	38.6-39.8 in
M LARGE	68.9-71.3 in	168-194 lbs	44.5-46.1 in
M TALL	70.9-74.8 in	150-176 lbs	38.6-39.8 in
L	70.9-74.0 in	172-198 lbs	40.2-41.3 in
L LARGE	70.9-74.0 in	181-207 lbs	46.9-48.0 in
L TALL	74.0-77.2 in	176-203 lbs	41.7-43.7 in
XL	72.8-75.6 in	190-216 lbs	42.9-45.3 in
XXL	74.8-77.6 in	209-243 lbs	45.3-47.2 in
XXXL	76.8-79.5 in	243-276 lbs	46.5-50.4 in

LADY			
XS	61.8-63.8 in	121-132 lbs	31.9-33.1 in
S	63.8-65.7 in	130-141 lbs	34.3-35.4 in
S LARGE	63.8-65.7 in	143-161 lbs	37.8-39.0 in
S TALL	67.7-69.7 in	130-141 lbs	34.3-35.4 in
M	65.7-67.7 in	143-161 lbs	35.8-37.0 in
M LARGE	65.7-67.7 in	163-181 lbs	39.8-40.9 in
M TALL	69.7-71.7 in	143-161 lbs	35.8-37.0 in
L	68.5-70.5 in	152-174 lbs	37.8-39.4 in
XL	70.5-72.4 in	172-194 lbs	39.4-41.7 in



MAN SIZES	PN
S	0010372230040A
M	0010372230055A
M LARGE	0010372230060A
M TALL	0010372230065A
L	0010372230080A
L LARGE	0010372230085A
L TALL	0010372230090A
XL	0010372230105A
XXL	0010372230125A
XXXL	0010372230145A

LADY SIZES	PN
XS	0010372330025A
S	0010372330040A
S LARGE	0010372330041A
S TALL	0010372330042A
M	0010372330055A
M LARGE	0010372330060A
M TALL	0010372330065A
L	0010372330080A
XL	0010372330105A

















AQUASTOP

ULTRASTRETCH WATER BARF SYSTEM

ZIP ON WRISTS/ANKLES/NECK

## **SPACE 5 MM**





www.seacsub.com



Feeling at ease during a dive is always a matter involving many different factors, most importantly, a comfortable wetsuit. For this reason, the Space has been developed in a warm, comfortable neoprene designed for proper stretch, regardless of body shape. Seac Space is available in many sizes, designed with specific cuts for both men and women. Donning is quick and easy even in non-optimal conditions like high temperature and high humidity. It is a one-piece wetsuit made of Ultrastretch neoprene and rear zip with inner flap to ensure a barrier against water leakage. Aquastop system on wrists and ankles are provided with double neoprene cones and zippers. SEAC Space has been designed to guarantee great freedom of movement in all conditions, thanks to the embossed inserts positioned on the inside of the elbows and behind the knees. Chest and shoulder areas, the most stressed equipment friction points, have been reinforced with geometric pattern design inserts. A rubber sleeve insert has been positioned on left wrist to firmly hold your dive computer. Seac Space is available in 5 or 7 mm neoprene.

			CHEST
S	65.7-69.3 in	128-154 lbs	36.2-37.8 in
M	68.9-71.3 in	150-176 lbs	38.6-39.8 in
M LARGE	68.9-71.3 in	168-194 lbs	44.5-46.1 in
M TALL	70.9-74.8 in	150-176 lbs	38.6-39.8 in
L	70.9-74.0 in	172-198 lbs	40.2-41.3 in
L LARGE	70.9-74.0 in	181-207 lbs	46.9-48.0 in
L TALL	74.0-77.2 in	176-203 lbs	41.7-43.7 in
XL	72.8-75.6 in	190-216 lbs	42.9-45.3 in
XXL	74.8-77.6 in	209-243 lbs	45.3-47.2 in
XXXL	76.8-79.5 in	243-276 lbs	46.5-50.4 in

LADY			
XS	61.8-63.8 in	121-132 lbs	31.9-33.1 in
S	63.8-65.7 in	130-141 lbs	34.3-35.4 in
S LARGE	63.8-65.7 in	143-161 lbs	37.8-39.0 in
STALL	67.7-69.7 in	130-141 lbs	34.3-35.4 in
M	65.7-67.7 in	143-161 lbs	35.8-37.0 in
M LARGE	65.7-67.7 in	163-181 lbs	39.8-40.9 in
M TALL	69.7-71.7 in	143-161 lbs	35.8-37.0 in
L	68.5-70.5 in	152-174 lbs	37.8-39.4 in
XL	70.5-72.4 in	172-194 lbs	39.4-41.7 in



MAN SIZES	PN
S	0010372250040A
M	0010372250055A
M LARGE	0010372250060A
M TALL	0010372250065A
L	0010372250080A
L LARGE	0010372250085A
L TALL	0010372250090A
XL	0010372250105A
XXL	0010372250125A
XXXL	0010372250145A

LADY SIZES	PN
XS	0010372350025A
S	0010372350040A
S LARGE	0010372350041A
STALL	0010372350042A
M	0010372350055A
M LARGE	0010372350060A
M TALL	0010372350065A
L	0010372350080A
XL	0010372350105A



5 mm





ULTRASTRETCH



SYSTEM




ZIP ON BACK YKK WRISTS/ANKLES/NECK VERTICAL ZIP





## **KOMODA FLEX 7 MM**

- 7 mm one-piece suit with rear YKK zip, stainless steel sliding tab, made in superelastic double-lined neoprene.
- The special rear Water Barrier System closure minimizes water seepage.
- Model with Aquastop at the wrists and ankles thanks to the double cone system and zip closure.
- Water Barrier System to waterproof the zipper. Knee pads in scratch-resistant polyurethane.



LADY			CHEST
XS	61.0-63.4 in	115-128 lbs	30.3-32.7 in
S	63.0-65.4 in	126-139 lbs	32.3-34.6 in
M	65.0-67.3 in	137-157 lbs	34.3-36.2 in
MP	65.0-67.3 in	143-161 lbs	37.0-38.6 in
L	67.7-70.1 in	148-165 lbs	37.0-38.6 in
LP	67.7-70.1 in	161-179 lbs	38.2-40.2 in
XL	69.7-72.0 in	165-183 lbs	38.2-40.2 in
XLP	69.7-72.0 in	181-198 lbs	39.4-41.7 in
XXL	70.5-72.8 in	185-203 lbs	39.4-41.7 in



MAN SIZES	PN
S	0010218230040A
M	0010218230055A
L	0010218230080A
LP	0010218230085A
LT	0010218230090A
XL	0010218230105A
XLP	0010218230115A
XLT	0010218230120A
XXL	0010218230125A
XXLP	0010218230135A
XXLT	0010218230140A
XXXL	0010218230145A
XXXLP	0010218230150A
XXXXL	0010218230160A

LADY SIZES	PN
XS	0010218330025A
S	0010218330040A
M	0010218330055A
MP	0010218330060A
L	0010218330080A
LP	0010218330085A
XL	0010218330105A
XLP	0010218330115A
XXL	0010218330125A

















THICKNESS 7 mm

AQUASTOP

ULTRASTRETCH

INOX YKK

VATER BARRIER ZIP ON DRY SYSTEM WRISTS/ANKLES

BACK YKK VERTICAL ZIP

14225-1

# **KOMODA FLEX 5 MM**

- 7 mm one-piece suit with rear YKK zip, stainless steel sliding tab, made in superelastic double-lined neoprene.
- The special rear Water Barrier System closure minimizes water seepage.
- Model with Aquastop at the wrists and ankles thanks to the double cone system and zip closure.
- Water Barrier System to waterproof the zipper. Knee pads in scratch-resistant polyurethane.



LT	70.1-74.4 in	172-198 lbs	38.6-40.9 in
XL	70.1-74.4 in	185-214 lbs	40.2-43.3 in
XLP	70.1-74.4 in	212-229 lbs	42.5-45.7 in
XLT	73.2-76.4 in	207-225 lbs	40.2-43.3 in
XXL	73.2-76.4 in	203-238 lbs	42.9-45.7 in
XXLP	73.2-76.4 in	225-251 lbs	44.1-47.2 in
XXLT	75.6-78.0 in	220-247 lbs	42.9-45.7 in
XXXL	75.6-78.0 in	240-260 lbs	44.9-47.2 in
XXXLP	75,6-78,0 in	247-265 lbs	45.3-48.4 in

XXXXL 76.0-79.5 in 243-260 lbs 44.9-47.2 in

LADY			CHEST
XS	61.0-63.4 in	115-128 lbs	30.3-32.7 in
S	63.0-65.4 in	126-139 lbs	32.3-34.6 in
M	65.0-67.3 in	137-157 lbs	34.3-36.2 in
MP	65.0-67.3 in	143-161 lbs	37.0-38.6 in
L	67.7-70.1 in	148-165 lbs	37.0-38.6 in
LP	67.7-70.1 in	161-179 lbs	38.2-40.2 in
XL	69.7-72.0 in	165-183 lbs	38.2-40.2 in
XLP	69.7-72.0 in	181-198 lbs	39.4-41.7 in
XXL	70.5-72.8 in	185-203 lbs	39.4-41.7 in



MAN SIZES	PN
S	0010218250040A
M	0010218250055A
L	0010218250080A
LP	0010218250085A
LT	0010218250090A
XL	0010218250105A
XLP	0010218250115A
XLT	0010218250120A
XXL	0010218250125A
XXLP	0010218250135A
XXLT	0010218250140A
XXXL	0010218250145A
XXXLP	0010218250150A
XXXXL	0010218250160A

LADY SIZES	PN
XS	0010218350025A
S	0010218350040A
M	0010218350055A
MP	0010218350060A
L	0010218350080A
LP	0010218350085A
XL	0010218350105A
XLP	0010218350115A
XXL	0010218350125A



5 mm





ULTRASTRETCH





DRY SYSTEM



WRISTS/ANKLES





UltraStretch material

## **KOMODA FLEX 3 MM**

3 mm one-piece suit with rear YKK zip, stainless steel sliding tab, made in superelastic double-lined neoprene.


- The special rear Water Barrier System closure minimizes water seepage.
- Model with Aquastop at the wrists and ankles thanks to the double cone system and zip closure.
- Water Barrier System to waterproof the zipper. Knee pads in scratch-resistant polyurethane.



LADY			CHEST
XS	61.0-63.4 in	115-128 lbs	30.3-32.7 in
S	63.0-65.4 in	126-139 lbs	32.3-34.6 in
M	65.0-67.3 in	137-157 lbs	34.3-36.2 in
MP	65.0-67.3 in	143-161 lbs	37.0-38.6 in
L	67.7-70.1 in	148-165 lbs	37.0-38.6 in
LP	67.7-70.1 in	161-179 lbs	38.2-40.2 in
XL	69.7-72.0 in	165-183 lbs	38.2-40.2 in
XLP	69.7-72.0 in	181-198 lbs	39.4-41.7 in
XXL	70.5-72.8 in	185-203 lbs	39.4-41.7 in



LADY SIZES	PN
XS	0010218370025A
S	0010218370040A
M	0010218370055A
MP	0010218370060A
L	0010218370080A
LP	0010218370085A
XL	0010218370105A
XLP	0010218370115A
XXL	0010218370125A









ULTRASTRETCH





DRY SYSTEM







BACK YKK VERTICAL ZIP












3 mm

# **FEEL ULTRAFLEX 3 MM**

- One-piece suit entirely in 3 mm superstretch neoprene delivers the maximum in elasticity and comfort, perfect for dives in tropical seas or temperate waters, and ideal for any water sport, like snorkeling, freediving, or swimming.
- Flatlock stitching and Kneepads reinforced with Powertex.
- Rear vertical closure with YKK zip.



LADY			
XS	61.0-63.4 in	115-128 lbs	30.3-32.7 in
S	63.0-65.4 in	126-139 lbs	32.3-34.6 in
M	65.0-67.3 in	137-157 lbs	34.3-36.2 in
L	67.7-70.1 in	148-165 lbs	37.0-38.6 in
XL	69.7-72.0 in	165-183 lbs	38.2-40.2 in
XXL	70.5-72.8 in	185-203 lbs	39.4-41.7 in





MAN SIZES	PN
S	0010242270040A
M	0010242270055A
L	0010242270080A
XL	0010242270105A
XXL	0010242270125A
XXXL	0010242270145A

LADY SIZES	PN
XS	0010242370025A
S	0010242370040A
M	0010242370055A
L	0010242370080A
XL	0010242370105A
XXL	0010242370125A









THICKNESS 3 mm COMFORT FIT



# **SENSE BLACK 3 MM**

- One-piece suit in double-lined 3 mm neoprene with rear zip and stainless steel sliding tab.
   Superelastic inserts at the collar and arms. Aquastop on the wrists and ankles with Smooth Skin seal.
- Toroidal ring in Smooth Skin.
- Powertex knee pads.Mesh Skin chest.

S	65.4-68.9 in	121-150 lbs	34.6-36.2 in
M	66.9-70.1 in	141-172 lbs	37.0-39.4 in
L	69.3-72.4 in	165-194 lbs	38.6-40.9 in
XL	70.1-74.4 in	185-214 lbs	40.2-43.3 in
XXL	73.2-76.4 in	203-238 lbs	42.9-45.7 in
XXXL	75.6-78.0 in	240-260 lbs	44.9-47.2 in
XXXXL	76.0-79.5 in	243-260 lbs	45.7-48.8 in

LADY			CHEST
XS	61.0-63.4 in	115-128 lbs	30.3-32.7 in
S	63.0-65.4 in	126-139 lbs	32.3-34.6 in
M	65.0-67.3 in	137-157 lbs	34.3-36.2 in
L	67.7-70.1 in	148-165 lbs	37.0-38.6 in
XL	69.7-72.0 in	165-183 lbs	38.2-40.2 in
XXL	70.5-72.8 in	185-203 lbs	39.4-41.7 in





MAN SIZES	PN
S	0010237270040A
M	0010237270055A
L	0010237270080A
XL	0010237270105A
XXL	0010237270125A
XXXL	0010237270145A
XXXXI	0010237270160Δ

LADY SIZES	PN	
XS	0010237370025A	
S	0010237370040A	
М	0010237370055A	
L	0010237370080A	
XL	0010237370105A	
XXL	0010237370125A	



3 mm









AQUASTOP WRISTS & ANKLES ULTRASTRETCH BACK VERTICAL ZIP

INOX

# **RELAX 2.2 MM**

- Suit with rear zip in 2.2 mm double-lined neoprene.
  The preformed, anatomical cut with flat-lock stitching makes this an ideal suit for water sports like surfing, snorkeling, swimming, and kayaking.
  Knee pads with polyurethane protection.

ITALIAN	DESIGN

S	65.4-68.9 in	121-150 lbs	34.6-36.2 in
M	66.9-70.1 in	141-172 lbs	37.0-39.4 in
L	69.3-72.4 in	165-194 lbs	38.6-40.9 in
XL	70.1-74.4 in	185-214 lbs	40.2-43.3 in
XXL	73.2-76.4 in	203-238 lbs	42.9-45.7 in
XXXL	75.6-78.0 in	240-260 lbs	44.9-47.2 in
XXXXL	76.0-79.5 in	243-260 lbs	45.7-48.8 in

LADY			
XS	61.0-63.4 in	115-128 lbs	30.3-32.7 in
S	63.0-65.4 in	126-139 lbs	32.3-34.6 in
M	65.0-67.3 in	137-157 lbs	34.3-36.2 in
L	67.7-70.1 in	148-165 lbs	37.0-38.6 in
XL	69.7-72.0 in	165-183 lbs	38.2-40.2 in
XXL	70.5-72.8 in	185-203 lbs	39.4-41.7 in



MAN SIZES	PN
S	0010089282040A
M	0010089282055A
L	0010089282080A
XL	0010089282105A
XXL	0010089282125A
XXXL	0010089282145A
XXXXL	0010089282160A

LADY SIZES	PN
XS	0010089382025A
S	0010089382040A
M	0010089382055A
L	0010089382080A
XL	0010089382105A
XXL	0010089382125A





THICKNESS 2.2 mm

BACK VERTICAL ZIP

# **SENSE SHORT 2.5 MM**

- One-piece shorty in double-lined 2.5 mm neoprene.
  Superelastic inserts at the collar and arms.

HEIGHT	WEIGHT	CHEST
65.4-68.9 in	121-150 lbs	34.6-36.2 in
66.9-70.1 in	141-172 lbs	37.0-39.4 in
69.3-72.4 in	165-194 lbs	38.6-40.9 in
70.1-74.4 in	185-214 lbs	40.2-43.3 in
73.2-76.4 in	203-238 lbs	42.9-45.7 in
75.6-78.0 in	240-260 lbs	44.9-47.2 in
76.0-79.5 in	243-260 lbs	45.7-48.8 in
	66.9-70.1 in 69.3-72.4 in 70.1-74.4 in 73.2-76.4 in 75.6-78.0 in	65.4-68.9 in 121-150 lbs 66.9-70.1 in 141-172 lbs 69.3-72.4 in 165-194 lbs 70.1-74.4 in 185-214 lbs 73.2-76.4 in 203-238 lbs

LADY			
XS	61.0-63.4 in	115-128 lbs	30.3-32.7 in
S	63.0-65.4 in	126-139 lbs	32.3-34.6 in
M	65.0-67.3 in	137-157 lbs	34.3-36.2 in
L	67.7-70.1 in	148-165 lbs	37.0-38.6 in
XL	69.7-72.0 in	165-183 lbs	38.2-40.2 in
XXL	70.5-72.8 in	185-203 lbs	39.4-41.7 in





MAN SIZES	PN
S	0010079012040A
M	0010079012055A
L	0010079012080A
XL	0010079012105A
XXL	0010079012125A
XXXL	0010079012145A
XXXXL	0010079012160A

LADY SIZES	PN
XS	0010079032025A
S	0010079032040A
M	0010079032055A
L	0010079032080A
XL	0010079032105A
XXI	0010079032125A











AQUASTOP ARMS & THIGHS THICKNESS 2.5 mm

ULTRASTRETCH BACK VERTICAL ZIP



# **CIAO 2.5 MM**

- Front zip.Double-lined 2.5 mm neoprene.Scratch-resistant Lycra finish on the collar.





NAANI	LIFICLIT	WEIGHT	OUECT
MAN	HEIGHT	WEIGHT	CHEST
S	65.4-68.9 in	121-150 lbs	34.6-36.2 in
M	66.9-70.1 in	141-172 lbs	37.0-39.4 in
L	69.3-72.4 in	165-194 lbs	38.6-40.9 in
XL	70.1-74.4 in	185-214 lbs	40.2-43.3 in
XXL	73.2-76.4 in	203-238 lbs	42.9-45.7 in
XXXL	75.6-78.0 in	240-260 lbs	44.9-47.2 in
XXXXL	76.0-79.5 in	243-260 lbs	45.7-48.8 in

LADY			
XS	61.0-63.4 in	115-128 lbs	30.3-32.7 in
S	63.0-65.4 in	126-139 lbs	32.3-34.6 in
M	65.0-67.3 in	137-157 lbs	34.3-36.2 in
L	67.7-70.1 in	148-165 lbs	37.0-38.6 in
XL	69.7-72.0 in	165-183 lbs	38.2-40.2 in
XXL	70.5-72.8 in	185-203 lbs	39.4-41.7 in



MAN SIZES	PN
S	0010067012040A
M	0010067012055A
L	0010067012080A
XL	0010067012105A
XXL	0010067012125A
XXXL	0010067012145A
XXXXI	0010067012160Δ

LADY SIZES	PN
XS	0010067032025A
S	0010067032040A
M	0010067032055A
L	0010067032080A
XL	0010067032105A
XXI	0010067032125A







THICKNESS 2.5 mm

FLAT-LOCK STITCHING

FRONT ZIP

# **CIAO KID 2.5 MM**

Double-lined neoprene.

	HEIGHT	CHEST
5	39.4-45.3 in	21.7-25.6 in
7	45.3-51.2 in	25.6-29.5 in
9	51.2-57.1 in	27.6-31.5 in
11	57.1-61.0 in	29.5-33.5 in
13	61.0-66.9 in	31.5-35.4 in









THICKNESS 2.5 mm

STITCHING

FRONT ZIP

# 11 0010067051220A 13 0010067051225A

**DOLPHIN 1.5 MM** 

PN

0010067051205A

0010067051210A

0010067051215A

AGE

5


7

9

Neoprene kids' shorty with front zip and standard nylon lining. In Lycra, with UV Protectionon the arms and legs.

AGE	HEIGHT	CHEST
3	33.5-39.4 in	19.7-21.7 in
5	39.4-45.3 in	21.7-25.6 in
7	45.3-51.2 in	25.6-29.5 in
9	51.2-57.1 in	27.6-31.5 in
11	57.1-61.0 in	29.5-33.5 in
13	61.0-66.9 in	31.5-35.4 in







NEODDENIE :

UV

HICKNESS NEOPRENE + 1.5 mm LYCRA ON ARMS/LEGS

AGE

5

7

9

11

13

# **T-SUN LONG**















MAN SIZES	PN
XS	1550015007025A
S	1550015007040A
M	1550015007055A
L	1550015007080A
XL	1550015007105A
XXL	1550015007125A
XXXL	1550015007145A

LADY SIZES	PN					
XS	1550015008025A					
S	1550015008040A					
M	1550015008055A					
L	1550015008080A					
XL	1550015008105A					

# **TEKNO**

SIZE	PN
XS/S	0260002064030A
M	0260002064055A
LM	0260002064080A
XL	0260002064105A
XXL	0260002064130A





**(((( )))** 



AQUASTOP

THERMAL FIBER •••

AIR VENTING HOLES

# **STANDARD**

SIZE	PN
XS/S	0260001068030A
M	0260001068055A
LM	0260001068080A
XL	0260001068105A
XXL	0260001068125A







3 mm

#### **ULTRAFLEX**

Ultraflex neoprene glove with Rubber Coated palm.









0160056067105A

0160056067125A

THICKNESS 2 mm / 3.5 mm / 5 mm

SIZE

XS

S

M

L XL

XXL

ULTRAFLEX

2 mm

0160056070025A

0160056070040A

0160056070055A

016005607<u>0</u>080A

0160056070105A

0160056070125A

COATED PALMS

3.5 mm 5 mm 0160056064025A 0160056067025A 0160056067040A 0160056064040A 0160056064055A 0160056067055A 0160056067080A 0160056064080A

0160056064105A

0160056064125A

<b>AMARA</b>	<b>COMFORT</b>

1.5 mm glove in standard nylon, amara on the palm, and Velcro closure with elastic.









1.5 mm

AMARA PALMS

PACKAGE 6 PAIR / SIZE

SIZE PN 0160055071025A XS S 0160055071040A 0160055071055A M 0160055071080A L XL 0160055071105A 0160055071125A XXL

#### **ROCK BOOT HD**

SIZE	PN					
S	0210009068040A					
M	0210009068055A					
L	0210009068080A					
XL	0210009068105A					
XXL	0210009068125A					
XXXL	0210009068145A					



RIGID SOLE

QUICK CLOSURE





EXCELLENT

PACKAGE 6 PAIR / SIZE



#### **PRO HD**

SIZE	PN
XXS	0210007062015A
XS	0210007062025A
S	0210007062040A
M	0210007062055A
L	0210007062080A
XL	0210007062105A
XXL	0210007062125A
XXXL	0210007062145A
XXXXL	0210007062160A



THICKNESS 6 mm

RIGID SOLE





**EXCELLENT** GRIP

PACKAGE 6 PAIR / SIZE



## **BASIC HD**

SIZE	PN						
XXS	0210006064015A						
XS	0210006064025A						
S	0210006064040A						
M	0210006064055A						
L	0210006064080A						
XL	0210006064105A						
XXL	0210006064125A						
XXXL	0210006064145A						
XXXXL	0210006064160A						



THICKNESS 5 mm

SEMI-RIGID SOLE



PACKAGE 6 PAIR / SIZE



#### **REGULAR**

SIZE	PN
XXS	0210050064015A
XS	0210050064025A
S	0210050064040A
M	0210050064055A
L	0210050064080A
XL	0210050064105A
XXL	0210050064125A
XXXL	0210050064145A
XXXXL	0210050064160A




SEMI-RIGID SOLE

PACKAGE 6 PAIR / SIZE



#### **TROPIC**

SIZE	PN
XXS	5050020070015A
XS	5050020070025A
S	5050020070040A
M	5050020070055A
L	5050020070080A
XL	5050020070105A
XXL	5050020070125A
XXXL	5050020070145A
XXXXL	5050020070160A



PACKAGE 6 PAIR / SIZE







30 ml







#### **SIZE CHARTS\***



HOOD SIZE	Х	s s	M	L	XL	XXL	XXXL
HEAD CIRCUMFEREN	CE - in 20.9	- 21.3 21.6 - 2	22.4 - 22.8	23.2 - 23.6	24 - 24.4	24.8 - 25.1	25.6 - 26
HEAD CIRCUMFERENCE	CE - cm 53	- 54 55 - 56	6 57 - 58	59 - 60	61 - 62	63 - 64	65 - 66



BOOT SIZE	XXS	XS	S	M	L	XL	XXL	XXXL	XXXXL
USA SIZE	4 - 4.5	4.5 - 5.5	5.5 - 6.5	7 - 8	8.5 - 9.5	10 - 11	11.5 - 12.5	12.5 - 13	14 - 15
EU SIZE	36 - 37	37 - 38	38 - 39	40 - 41	42 - 43	43 - 44	45 - 46	47 - 48	49 - 50



GLOVE SIZE	XS	S	M	L	XL	XXL
PALM CIRCUMFERENCE - in	7.48 - 8.07	8.07 - 8.66	8.66 - 9.25	9.25 - 9.84	9.84 - 10.43	10.43 - 11.02
PALM CIRCUMFERENCE - cm	19 - 20.5	20.5 - 22	22 - 23.5	23.5 - 25	25 - 26.5	26.5 - 28

<sup>\*</sup> The measures are indicative and may vary depending on the model.



### **EQUIPAGE 1000**





RECOMMENDED WITH: EQUIPAGE NET PN 0920025008000A

- Material: Polyester 1200D Tarpaulin Heat formed EVA.
   Rigid rear panel in heat-formed EVA.
   Telescoping handle (50 cm).
   Primary compartment with two pockets for holding suit and boots.
   Rugged wheels.
   D-Ring on the rear panel.
   Front pocket.
   Dimensions: 30\*\*17\*\*(15")

- Dimensions: 30"x17"x15".
- Volume: 140 lt max.Weight: 6.6 lbs





140 lt.





6.6 lbs

HEAVY DUTY SHELL

PΝ

30" x 17" x 15"

## **EQUIPAGE 250**



- Material: 600D Polyester.Adjustable shoulder strap.Fin pocket with buckle.

- Front pocket.
- Dimensions: 30"x16"x14".Volume: 110 lt max.











30" x 16" x 14"

110 lt.

3.1 lbs

WATERPROOF **BAG INSIDE** 



PN 0920025030000A

# **EQUIPAGE NET**



- Material: 600D Polyester.
- Mesh bag.Side compartment.
- Dimensions: 28"x18"x12".









OPEN 28" x 18" x 12"

FOLDED 18" x 10" x 0.3"

120 lt.

0.7 lbs

PΝ

scuba | spring 2021

#### **KUF**





- Ultra-light material. Padded computer compartment.
- Padded shoulder straps.
- Two front multipurpose pockets.
  Dimensions: 18"x12"x6".









18" x 12" x 6"

18 lt.

1.1 lbs

LAPTOP COMPARTMENT

PN

0920027000538A

### **U-BOOT 130**



seac

- Waterproof bag made of tarpaulin.
  Lets you carry your equipment wet or dry.
  End drainage hole for clearing water if you rinse your equipment after use.
- Adjustable shoulder straps.
- Dimensions: 37"x16"x12".
- · Volume: 130 lt max.







37" x 16" x 12"

130 lt.

WATERPROOF





#### **U-BOOT 100**



- Heat-sealed waterproof bag made of tarpaulin with no stitches.
  Lets you carry your equipment wet or dry.
  Side drainage hole for clearing water if you rinse your equipment after use.
- Dimensions: 37"x12"x10".Volume: 100 lt max.







37" x 12" x 10"

100 lt.

WATERPROOF

PN

0920005050000A







37.5" x 8.26" x 6.3"

PΝ

#### **HIDE SPEARGUN BAG**

- Speargun bag with shoulder belt.

  Bag size: 59.0" long x 9.8" diameter.
  Internal pocket with Velcro closure.
- Reinforced bottom.
- Velcro closure + safety buckle.Cordura fabric.
- Removable shoulder strap adjustable on 3 eyelets.





9.8" Ø 59.0" length

PN

0920020000000A

### **MATE REG**

- Bag for regulators.

  Material: 600D Polyester.

  Dimensions: diameter 12.8", depth 3.9".





12.8" Ø 3.9" depth



IDEAL FOR DIVING CENTER

PN

0920021000000A

#### **DRY BAG**

With removable shoulder strap.



WATERPROOF

LITERS	PN
20	0920018012000A
15	0920018011000A
10	0920018010000A
5	0920018009000A





#### **DIVING BELT**











#### STAINLESS STEEL BUCKLE





PN

1020001000000A

#### **MARKER BUOY**



49.6" x 6.3"



LINE 82 ft






### **SPOOL REEL, WHITE LINE**






PN





#### F1S



- Blade material: high-performance compound of Ultralight Flex technopolymers with excellent impact resistance, even at low temperatures.
  Foot pocket material: combinations of technopolymer and thermoplastic elastomer.
  Strap: with Sling Strap System, color coordinated with the blade.
  Weight (single fin): 1.6 lbs.
  Other features: Sling Strap System. Protections on the ribbing to guarantee long-lasting durability. Non-slip sole on the foot pocket.

VERSION	XS/S	S/M	M/L	L/XL
BLACK	0710036520	0030A 0710036520	050A 0710036520	070A 0710036520095A
BLACK/BLU	JE 0710036160	030A 0710036160	050A 07100361600	070A 0710036160095A
BLACK/YEL	LOW 0710036360	0030A 0710036360	050A 0710036360	070A 0710036360095A
BLACK/REI	0710036720	030A 0710036720	050A 0710036720	070A 0710036720095A
WHITE/PIN	K 0710036132	030A 0710036132	050A 07100361320	0710036132095A
WHITE/AQI	JA 0710036123	030A 0710036123	050A 07100361230	070A 0710036123095A

#### **PROPULSION S**









WEIGHT (x1) 2.16 lbs



IDEAL FOR DIVING CENTER



OPTIONAL COLOR SLING STRAP



NON-SLIP SOLE











- Blade material: polyolefin thermoplastic with special formula.
  Foot pocket material: thermoplastic elastomer.
  Strap: with Sling Strap System, color coordinated with the blade.
  Weight (single fin): 2.16 lbs.
  Other features: ribbing in dual material. Water channels.

VERSION	S/M	M/L	L/XL
WHITE	0710043120050A	0710043120070A	0710043120095A
BLUE	0710043160050A	0710043160070A	0710043160095A
YELLOW	0710043360050A	0710043360070A	0710043360095A
BLACK	0710043520050A	0710043520070A	0710043520095A

#### **GP100 S**







WEIGHT (x1) 2.16 lbs



IDEAL FOR MILITARY USE



EXTREME CONDITIONS



NEGATIVE BUOY



OPTIONAL COLOR SLING STRAP



NON-SLIP SOLE



PACKAGE 4 PAIR/CASE











- Blade material: high-performance technopolymer.
  Foot pocket material: thermoplastic elastomer.
  Sling Strap System.

- Sling Strap system.
  Weight (single fin): 2.16 lbs.
  Other features: non-slip covering on foot pocket sole.
  Elastomer coating on the blade to prevent wear and abrasions.
  Extremely durable fin, ideal military use and/or in extreme conditions.
  Negative fin promotes better posture by eliminating the positive thrust that in some cases can be created in the footpockets.

VERSION	XS/S	S/M	M/L	L/XL	XL/XXL
WHITE	0710038120030A	0710038120050A	0710038120070A	0710038120095A	0710038120110A
BLUE	0710038160030A	0710038160050A	0710038160070A	0710038160095A	0710038160110A
YELLOW	0710038360030A	0710038360050A	0710038360070A	0710038360095A	0710038360110A
BLACK	0710038520030A	0710038520050A	0710038520070A	0710038520095A	0710038520110A
RED	0710038720030A	0710038720050A	0710038720070A	0710038720095A	0710038720110A

#### **F 100 PRO**

- Blade material: technopolymer with high modulus of elasticity.
- Foot pocket material: thermoplastic rubber.
- Weight (single fin): 1.6 lbs.
- Other features: Rubber inserts on the
- blade to prevent wear and abrasions.

  New ergonomically shaped foot pocket.

  Inserts in a third material on the blade to optimize snap.











WEIGHT (x1) 1.6 lbs



NON-SLIP SOLE



PACKAGE 6 PAIR/CASE

USA SIZES	4 - 4 1/2	5 ½ - 6 ½	7 - 8	8 ½ - 9 ½	10 - 11	12 - 12 ½
EU SIZES	36/37	38/39	40/41	42/43	44/45	46/47
WHITE	0710001120451A	0710001120461A	0710001120471A	0710001120481A	0710001120491A	0710001120501A
BLUE	0710001160451A	0710001160461A	0710001160471A	0710001160481A	0710001160491A	0710001160501A
YELLOW	0710001360451A	0710001360461A	0710001360471A	0710001360481A	0710001360491A	0710001360501A
BLACK	0710001520451A	0710001520461A	0710001520471A	0710001520481A	0710001520491A	0710001520501A
PINK	0710001680451A	0710001680461A	0710001680471A	-	-	-
RED	0710001720451A	0710001720461A	0710001720471A	0710001720481A	0710001720491A	0710001720501A

#### **FUGA**

- Blade material: technopolymer with high modulus of elasticity.
- Foot pocket material: thermoplastic rubber.
- Weight (single fin): 1.2 lbs.
- Other features: water channeling and ridges.
  External ribbing.
  High performance technopolymer blade.















USA SIZES	4 - 4 1/2	5 ½ - 6 ½	7 - 8	8 ½ - 9 ½	10 - 11	12 - 12 1/2
EU SIZES	36/37	38/39	40/41	42/43	44/45	46/47
WHITE	0710004120451A	0710004120461A	0710004120471A	0710004120481A	0710004120491A	0710004120501A
BLUE	0710004160451A	0710004160461A	0710004160471A	0710004160481A	0710004160491A	0710004160501A
YELLOW	0710004360451A	0710004360461A	0710004360471A	0710004360481A	0710004360491A	0710004360501A
BLACK	0710004520451A	0710004520461A	0710004520471A	0710004520481A	0710004520491A	0710004520501A
RED	0710004720451A	0710004720461A	0710004720471A	0710004720481A	-	-

## **SLING STRAP**



VER	SION	XS-S		S-M	/ M-L	M-L/	XL-XXL
WHITE		073002312002	25A	0730023	120000A	073002	4120000A
BLACI	<	07300235200	25A	0730023	520000A	073002	4520000A
BLUE		07300235250	25A	0730023	525040A	073002	4525000A
YELLC	W	07300235290	25A	0730023	529040A	073002	4529000A
RED		07300235380	25A	0730023	538040A	0730024	4538000A

# **QRB BUCKLE**




PN

0730002000000A

# **UNIVERSAL STRAP**



PN



scuba | spring 2021











**NEW BUCKLE 2021** 



S/BL









S/BL-LS











HARD METAL COATING



+45% UNDERWATER VISIBILITY (S/BL-LS VERSION)



3 mm TEMPERED GLASS



COMFORT SILICONE SKIRT



OPTIMIZED LENS INCLINATION



NEW MASK CASE INCLUDED



SPECIAL MIRRORED LENSES VERSION (S/BL-LS)



NEW TECHNOLOGY BUCKLE



PERFECT FITTING



ULTRA CLEAR GLASS



LIQUID SILICONE STRAP



VERSION	S/KL
BLUE	0750063001180A
RED	0750063001740A
BLACK	0750063001521A

VERSION	S/BL	S/BL - LS
BLACK/BLUE	0750063003180A	-
BLACK/WHITE	0750063003130A	-
BLACK/RED	0750063003740A	-
BLACK	0750063003521A	0750063004521A

#### **ITALIA 50**

















**NEW BUCKLE 202** 



S/BL



S/BL-LS

S/KL











HARD METAL COATING



+45% UNDERWATER VISIBILITY (S/BL-LS VERSION)



3 mm TEMPERED GLASS



COMFORT SILICONE SKIRT



OPTIMIZED LENS INCLINATION



NEW MASK CASE INCLUDED



SPECIAL MIRRORED LENSES VERSION (S/BL-LS)



NEW TECHNOLOGY BUCKLE



PERFECT FITTING



ULTRA CLEAR GLASS



LIQUID SILICONE STRAP



VERSION	S/KL
BLUE	0750060001180A
RED	0750060001740A
BLACK	0750060001521A

VERSION	S/BL	S/BL - LS
BLACK/BLUE	0750060003180A	-
BLACK/WHITE	0750060003130A	-
BLACK/RED	0750060003740A	-
BLACK	0750060003521A	0750060004521A

#### **AJNA**

















Frameless technology with reduced internal volume.



FITS ANY FACE PERFECTLY



VERSION	S/BL
BLACK/BLUE	0750067003160A
BLACK/WHITE	0750067003120A
BLACK/RED	0750067003720A
BLACK	0750067003520A



COMFORT SILICONE SKIRT

OPTIMIZED LENS INCLINATION

LIQUID SILICONE STRAP

NEW TECHNOLOGY BUCKLE

NEW MASK CASE INCLUDED

REDUCED INTERNAL VOLUME

PERFECT FITTING



S/BL



S/WH







VERSION	S/KL	S/BL	S/WH
BLACK	0750031001520A	0750031003520A	-
BLUE	0750031001180A	-	-
WHITE/AQUAMARINE	-	-	0750031010018A
WHITE/PINK	-	-	0750031010680A





TEMPERED GLASS









#### **EAGLE LS**













Extremely comfortable and compact mask with a reduced internal volume.











MODEL	S/BL-LS
BLACK/YELLOW	0750066004529A
BLACK/SILVER	0750066004540A



+45% UNDERWATER VISIBILITY



3 mm TEMPERED GLASS



COMFORT SILICONE SKIRT



LIQUID SILICONE STRAP



NEW TECHNOLOGY BUCKLE NEW MASK CASE INCLUDED





SPECIAL MIRRORED LENSES VERSION



PERFECT FITTING



REDUCED INTERNAL VOLUME



#### **EAGLE**













Extremely comfortable and compact mask with a reduced internal volume.









MODEL	S/BL
BLACK/RED	0750066003720A
BLACK/GREEN	0750066003880A
BLACK	0750066003520A



3 mm TEMPERED GLASS



COMFORT SILICONE SKIRT



LIQUID SILICONE STRAP



NEW TECHNOLOGY BUCKLE



NEW MASK CASE INCLUDED



PERFECT FITTING



REDUCED INTERNAL VOLUME













TEMPERED GLASS



PURE SILICONE





REDUCED INTERNAL VOLUME





RIGID BOX



PACKAGE 6 PIECES / CASE

VERSION	S/COL
GREY CAMO	0750017003206A
GREEN CAMO	0750017070550A
BLUE CAMO	0750017015430A









### **M70**











TEMPERED GLASS



PURE SILICONE



SILICONE STRAP



LOWEST VOLUME ONLY 70 mm<sup>3</sup>



PERFECT FITTING



RIGID BOX



VERSION	S/COL
BLACK	0750030003520A
BLUE	0750030015160A
RED	0750030080720A

S/COL







#### **ONE**











TEMPERED GLASS



PURE SILICONE



SILICONE STRAP



EASY TOUCH BUCKLE



RIGID BOX



PACKAGE 6 PIECES / CASE

PN

0750017003520A

# COVE









TEMPERED GLASS



PURE SILICONE



SILICONE STRAP



#### **ANTI-FOG BIO GEL**



VERSION	PN
15 ml	1110099000000A
30 ml	111009000000A











#### **MASK CASE**





PN 1110110000000A

# **NEOPRENE MASK STRAP**






PN 1110116520000A

### **MASK STRAP**

Liquid silicone strap. 16 mm.





### **OPTICAL LENSES**







DIOPTRES	ITALIA RIGHT	ITALIA LEFT	EAGLE RIGHT	EAGLE LEFT
-1	0800015002000A	0800016002000A	0800017002000A	0800018002000A
- 1.5	0800015003000A	0800016003000A	0800017003000A	0800018003000A
-2	0800015004000A	0800016004000A	0800017004000A	0800018004000A
- 2.5	0800015005000A	0800016005000A	0800017005000A	0800018005000A
-3	0800015006000A	0800016006000A	0800017006000A	0800018006000A
- 3.5	0800015007000A	0800016007000A	0800017007000A	0800018007000A
-4	0800015008000A	0800016008000A	0800017008000A	0800018008000A
- 4.5	0800015009000A	0800016009000A	0800017009000A	0800018009000A
-5	0800015010000A	0800016010000A	0800017010000A	0800018010000A
- 5.5	0800015011000A	0800016011000A	0800017011000A	0800018011000A
-6	0800015012000A	0800016012000A	0800017012000A	0800018012000A
+ 1	0800015022000A	0800016022000A	0800017022000A	0800018022000A
+ 1.5	0800015023000A	0800016023000A	0800017023000A	0800018023000A
+ 2	0800015024000A	0800016024000A	0800017024000A	0800018024000A
+ 2.5	0800015025000A	0800016025000A	0800017025000A	0800018025000A
+ 3	0800015026000A	0800016026000A	0800017026000A	0800018026000A

DIOPTRES	FOX	ONE RIGHT	ONE LEFT
-1	0800014002000A	0800008002000A	0800009002000A
- 1.5	0800014003000A	0800008003000A	0800009003000A
-2	0800014004000A	0800008004000A	0800009004000A
- 2.5	0800014005000A	0800008005000A	0800009005000A
-3	0800014006000A	0800008006000A	0800009006000A
- 3.5	0800014007000A	0800008007000A	0800009007000A
-4	0800014008000A	A00080080080	0800009008000A
- 4.5	0800014009000A	0800008009000A	0800009009000A
-5	0800014010000A	0800008010000A	0800009010000A
- 5.5	0800014011000A	0800008011000A	0800009011000A
-6	0800014012000A	0800008012000A	0800009012000A

## **VORTEX DRY**





















VERSION	S/BL	S/KL	S/W
BLACK/WHITE	0840022003120A	-	-
BLACK/METALLIC BLUE	0840022003180A	-	-
BLACK	0840022003520A	-	-
BLACK/METALLIC RED	0840022003740A	-	-
BLUE	-	0840022001160A	-
WHITE/AQUAMARINE	-	-	0840022001121A
WHITE/PINK	-	-	0840022001132A

## **FAST TECH DRY**















VERSION	S/KL	S/BL
AQUAMARINE	0840032001018A	-
WHITE	0840032001120A	-
BLUE	0840032001160A	-
BLACK	-	0840032003520A
BLACK/WHITE	-	0840032003524A

#### **TRIBE DRY**













VERSION	S/KL
AQUAMARINE	0840033001018A
WHITE	0840033001120A
BLUE	0840033001160A
YELLOW	0840033001360A
BLACK	0840033001520A
PINK	0840033001680A



# LIQUID



FOLDING









#### **JET**





VERSION	S/KL	S/BL
BLUE	0840014001160A	-
BLACK	0840014001520A	0840014003520A
TRANSPARENT	0840014001800A	-



## **TURTLE**







PN

#### **TOP FLEX**





PN 0840034003520A

# **QUICK SNORKEL RETAINER**



PN 0870009000000A

## **SNORKEL RETAINER RING**



PN



#### **SECURITY CONTROLS**

In the SEAC® laboratories all the production batches of our full-face masks are tested with specific Ansti machines for measuring the dynamic performance of human respiration, and these tests are carried out using proprietary SEAC® equipment which has been specifically developed to control the levels of CO₂ present in the air inhaled through the masks during the breathing process. SEAC® has developed a series of specific tests in compliance with the values required by the following European standards: EN 1972:2015 establishes the requirements for the design and production of snorkel tubes, limited to respiratory efforts;

EN 16805:2015 establishes the requirements for the design and production of diving masks;
EN 136:2000 establishes the minimum requirements for the production of full respiratory protection masks, limited to the control tests of CO2 in the inhaled air;

EN 250:2014 relating to compressed air self-contained breathing apparatus for open circuit underwater use and its components, limited to CO<sub>2</sub> control tests in the inhaled air.













Natural breathing effort











PURE SILICONE HYPOALLERGENIC 3 SIZES



LOWEST VOLUME BOX + MESH BAG

DOUBLE

REGULATION

XS/S SIZE 8+



PACKAGE

6 PIECES / CASE



















UNICA L/XL - S/M

UNICA JUNIOR













PURE SILICONE HYPOALLERGENIC

3 SIZES

BAG 10.8" x 16.3"

JUNIOR SIZE 6+

PACKAGE 6 PIECES / CASE









CLAMSHELL

PACKAGING

K<sub>4</sub>Z L<sup>4</sup>Z

4 SIZES



HYPOALLERGENIC

SLT SKIRT



XS/S SIZE 8+

JUNIOR SIZE 6+

PACKAGE

6 PIECES / CASE



## **SET UNICA**











VERSION	PN
SET UNICA S/M + SPRINT XS/S	0890075160030A
SET UNICA S/M + SPRINT S/M	0890075160050A
SET UNICA L/XL + SPRINT M/L	0890074160070A
SET UNICA L/XL + SPRINT L/XL	0890074160095A



## **LIBERA BUCKLE**



PN

snorkeling | spring 2021



VERSION	SLT
BLACK/GREEN	1720004003542A
CLEAR/ORANGE	1720004001821A

## **STRAP**

- LIBERA XS/SUNICAUNICA JUNIOR
- MAGICA
   MAGICA FUN XS/S
   MAGICA JUNIOR



PN

1720003000040A

## **ACTION CAM SUPPORT**

ALL MODELS



PN

1720002000000A

## **SNORKEL**



PN

1720001000800A



## **VELA OH**



NON-SLIP SOLE



IDEAL FOR POOL TRAINING



PACKAGE 6 PIECES / CASE









EU SIZES	USA SIZES	WHITE	BLUE	BLACK
XXS/XS	13 ½ - 3	0710047120020A	0710047160020A	0710047520020A
AA3/A3	13 72 - 3	0710047120020A	0710047100020A	0710047520020A
XS/S	4 - 5 1/2	0710047120030A	0710047160030A	0710047520030A
S/M	6 ½ - 8	0710047120050A	0710047160050A	0710047520050A
M/L	8 ½ - 10	0710047120070A	0710047160070A	0710047520070A
L/XL	11 - 12 ½	0710047120095A	0710047160095A	0710047520095A

# **SPRINT**



NON-SLIP SOLE



PACKAGE 6 PIECES / CASE













EU SIZES	USA SIZES	BLUE	BLACK	WHITE	RED	YELLOW
XXS/XS	13 ½ - 3	0710014160020A	-	-	6710028720020A	-
XS/S	4 - 5 ½	0710014160030A	-	-	-	-
S/M	6 ½ - 8	0710014160050A	-	6710028120050A	-	-
M/L	8 ½ - 10	0710014160070A	-	-	-	0710014360070A
L/XL	11 - 12 1/2	0710014160095A	6710028520095A	-	-	-

## **SPEED**







EU SIZES	USA SIZES	BLUE	YELLOW	BLACK
26/28	9 - 10 1/2	0710015160402A	0710015360402A	0710015520402A
29/31	11 ½ - 13	0710015160417A	0710015360417A	0710015520417A
32/33	13 ½ - 1 ½	0710015160431A	0710015360431A	0710015520431A
34/35	3 - 4	0710015160441A	0710015360441A	0710015520441A
36/37	4 - 4 1/2	0710015160451A	0710015360451A	0710015520451A
38/39	5 ½ - 6 ½	0710015160461A	0710015360461A	0710015520461A
40/41	7 - 8	0710015160471A	0710015360471A	0710015520471A
42/43	8 ½ - 9 ½	0710015160481A	0710015360481A	0710015520481A
44/45	10 - 11	0710015160491A	0710015360491A	0710015520491A
46/47	12 - 12 1/2	0710015160501A	0710015360501A	0710015520501A



## **ELBA**















FIM	PERE	-D G	LASS

PURE SILICONE

 MODEL
 S/KL
 S/BL

 AQUAMARINE
 0750041001018A

 BLUE
 0750041001160A

 BLACK
 0750041003520A

 BLACK/WHITE
 0750041003524A

## **ELBA MD**

















TEMPERED GLASS

PURE SILICONE

MD VERSION IDEAL FOR PEOPLE WITH SLENDER FACE

PACKAGE 6 PIECES / CASE

MODEL	S/KL	S/BL
BLUE	0750042001160A	-
PINK	0750042001160A	-
BLACK	-	0750042003520A
BLACK/WHITE	-	0750042003524A

## **GIGLIO**

















TEMPERED GLASS

PURE SILICONE

PACKAGE 6 PIECES / CASE

MODEL	S/KL	S/BL
AQUAMARINE	0750047001018A	-
BLUE	0750047001160A	-
BLACK	-	0750047003520A
BLACK/WHITE	-	0750047003524A

## **GIGLIO MD**



















TEMPERED GLASS PUR

PURE SILICONE

MD VERSION IDEAL FOR PEOPLE WITH SLENDER FACE

PACKAGE 6 PIECES / CASE

MODEL	S/KL	S/BL
BLUE	0750048001160A	-
PINK	0750048001680A	-
BLACK	-	0750048003520A
BLACK/WHITE	-	0750048003524A

## **BELLA COLOR**











TEMPERED GLASS


PURE SILICONE

FOR CHILDREN

PACKAGE 6 PIECES / CASE

VERSION	S/COL
LIGHT BLUE	0750045009080A
PINK	0750045050680A

## BAIA









SAFETY LENS

FOR CHILDREN 4 - 8 YEARS OLD

PACKAGE 6 PIECES / CASE

VERSION	SEBS
AQUAMARINE	0750038110018A
PINK	0750038170680A

## **BAIA KID**













SAFETY LENS

FOR CHILDREN 3 - 6 YEARS OLD


PACKAGE 6 PIECES / CASE

VI	ERSION	SEBS
AQUA	AMARINE	0750039110018A
PINK		0750039170680A









EU SIZES	USA SIZES	MODEL	PN
32/35	13 ½ - 3	JR	0890030160433A
36/38	4 - 5 1/2	MD	0890030160452A
39/41	6 ½ - 8	AD	0890030160467A
42/44	8 ½ - 10	AD	0890030160482A
45/47	11 - 12	AD	0890030160497A

## **SET ELBA DRY**



PURE SILICONE



PACKAGE 6 PIECES / CASE

BAG: 9.6" x 20.0"







VERSION	S/KL	S/BL
BLUE	0890076160000A	-
BLACK	-	0890077520000A

## **SET ELBA MD DRY**





DRY TOP SYSTEM

PACKAGE 6 PIECES / CASE

BAG: 9.6" x 20.0"



MASK: ELBA MD SNORKEL: FAST TECH DRY



VERSION	S/KL	S/BL
BLUE	0890078160000A	-
BLACK	-	0890079520000A

## **SET GIGLIO DRY**















VERSION	S/KL	S/BL
BLUE	0890080160000A	-
BLACK	-	0890081520000A

## **SET GIGLIO MD DRY**







PACKAGE 6 PIECES / CASE

BAG: 9.6" x 20.0"







**†††**Ť

VERSION	S/KL	S/BL
BLUE	0890082160000A	-
BLACK	-	0890083520000A

## **SET BELLA COLOR**



PURGE VALVE

ANTI-SPLASH TOP

BAG: 9.6" x 20.0"





VERSION	S/COL
CLEAR BLUE	0890051080000A
PINK	0890052680000A



## **SNORKELING VEST**

PACKAGE 25 PIECES / CASE

G VEST

Vest with mouth inflation valve and manual dump valve.



VERSION	PN	
S - M	1520017000008A	
L - XL	1520017000013A	

## **REEF**















CLEAR BAG PACKAGING

REINFORCED RUBBER SOLE

PACKAGE 6 PAIR / CASE





**UPGRADE** 

#### **DRIVER**



**Seac** 

driver

MAX

SURFACE



MANUAL & QUICK GUIDE



# USB CABLE FOR DRIVER





MODEL	PN
DRIVER	1600003000520A
USB CABLE (OPTIONAL)	1630011000000A

330 FT WATER RESISTANT

OS/WINDOWS COMPATIBLE

DIVE TIME

SURFTIME

FIRMWARE UPDATES

((a)) HYDRATION REMINDER



TEMPERATURE



ILLUMINATED / SOUND ALARMS DEACTIVATED



USB CABLE (OPTION)



USER-REPLACEABLE BATTERY (CR2032)



STOPWATCH AND COUNTDOWN FUNCTION



BACKLIT DISPLAY



#### **PARTNER**






MANUAL & QUICK GUIDE









PN 1600004000520A



330 FT WATER RESISTANT



DIVE TIME



SURF TIME



BACKLIT DISPLAY



DIVE/ASCENT SPEEDS



TEMPERATURE 14 / 140 F



MAX DEPTH CURRENT DEPTH



CR2032 BATTERY



RECORDS SESSIONS UP TO 99 DIVES



STOPWATCH AND COUNTDOWN FUNCTION



PACER FUNCTION



ALARM





#### **R5**

- Battery: Li-Ion 18650 rechargeable via Micro-USB.
  Light width beam: zoom adjustable, from 12° to 75°.
  Operating modes: light intensity adjustable using magnetic switch.
- Switch lock to prevent accidental ignition.

PN

0500005020000A




## **R3**

- Battery: Li-lon 18650 rechargeable via external charger (included) with USB connection.
- Operating modes: max power, reduced power, flashing.
  Switch lock to prevent accidental ignition.

PN

0500004020000A













WEIGHT













400 Lumen 0.56 lbs

MAX DEPTH 330 ft.

1.65 in

5.5 in 1 CREE XPG2

Min power burn-time 8 hours

Max power burn-time 2 hours

## **T5**

- Light width beam: 9°.
- Switch: pressure button.
- Safety lock to avoid switching on accidentally.









OPTIONAL 0530097000000A

OPTIONAL 0530098000000A

OPTIONAL 0530099000000A













KELVIN 5700~7300 

WEIGHT 0.28 lbs













2.2 hours

330 ft. 1.26 in MODEL PN Т5 0500026020000A

RECHARGEABLE BATTERY (OPTIONAL)	0530097000000A	
BATTERY CHARGER (OPTIONAL)	0530098000000A	
USB CABLE (OPTIONAL)	0530099000000A	

#### **FLASHLIGHT HOLDER**



PN

## **TITANIUM**



Serrated edge titanium blade. Very lightweight. "Double Release System" lets you pull the knife out one-handed. It can be fastened to the weight belt, arm, inflator hose, or calf.

PN

0550022520000A













LENGTH 8.26 in

BLADE LENGTH

STRAPS INCLUDED

LINE CUTTER

QUICK MOUNT

BLADE MATERIAL TITANIUM

## **BLUNT**



PN

0550026520000A











BCD QUICK MOUNT **BLADE MATERIAL** TITANIUM

BLADE LENGTH 3.46 in

STRAPS INCLUDED

#### **TAJAMAN**



One-piece dive knife with protective black Teflon coating. 3.62 IN tempered stainless steel AISI 420 dual-cut blade, smooth and serrated, with line cutter. Length 7.87 IN. Safety grip on both sides of the handle. Ultra-resistant fabric scabbard with Velcro closure. Fastens with two straps, included.

PN

0550021520000A



#### **RIP-FISH**





Dive knife with Dagger type blade, featuring asymmetrical milling and sharpening on both sides. Especially well-suited for spearfishing, when you need to use it quickly for both cutting and filleting. Knife 7.08" long with 3.15" blade and 0.13" thick. 57 Hrc hardness steel (Rockwell scale). Upper section of the blade with wide-tooth serrations and lower section with straight edge. Includes connection ties and kit for fastening line. Removable grip makes it easy to clean the blade. Shockproof sheath with Rip Lock safety feature.

PN

0550007000000A





AISI 420 tempered steel knife with tapered blade. Dual-material ergonomic handle with end-cap hammer. Sheath with Easy Lock system. Reversible fastening. It can be fastened to the weight belt, arm, or calf.

PN

0550024530000A







INCLUDED



BLADE MATERIAL AISI 420 TEMPERED STEEL

## **SHARP**



Tapered blade with serrated edge. "Double Release System" lets you pull the knife out one-handed. Can be fastened to the arm or calf. Reversible fastening.

PN

0550025530000A





3.54 in



INCLUDED



BLADE MATERIAL AISI 420 BLACK TEFLON COATING

## **DEVIL HD**



Knife with special tempered stainless steel blade, designed specifically for underwater spearfishing. Excellent penetration and cutting ability on both edges, straight and serrated. Click sheath with Push & Pull Out system that can be operated one-handed, even when wearing gloves.

PN

0550020520000A







Tempered and polished stainless steel blade for maximum resistance to corrosion.

COLOR	PN		
BLACK	0550016520000A		
RED	0550016720000A		
GREEN	0550016880000A		
		<u>—</u>	
<del></del>			
LENGTH	BLADE LENGTH	BLADE MATERIAL	VELCRO STRA
5.9 in	2.36 in	TEMPERED STAINLESS STEEL	INCLUDED





## **GHOST**

















TWO-PIECE

ULTRASTRETCH AQUASTOP ON FACE EXCLUSIVE SEAC® CAMOUFLAGE

Superelastic two-piece camouflage neoprene suit. Exclusive SEAC® camouflage fabric in green. Suit glued and blind stitched. Coated fabric on the outside and open-cell interior.

Anatomic and preformed cut on the arms/knees/back, featuring Aquastop around the face and at the wrists and ankles with the SSRS System (super-stretch round seal).

Jacket in 7 and 5 mm with incorporated hood, scratch-proof Powertext forearm guards, beaver tail closure with two plastic grommets and melco tape chest pad.
High-waisted pant, 5 mm thick with scratch-proof Powertex fabric knee pads.
SEAC® exclusive superstretch camouflage fabric.





GREEN	JACKET 7 mm	JACKET 5 mm	PANT 5 mm
S	0010322230040A	0010322250040A	0010352250040A
M	0010322230055A	0010322250055A	0010352250055A
L	0010322230080A	0010322250080A	0010352250080A
XL	0010322230105A	0010322250105A	0010352250105A
XXL	0010322230125A	0010322250125A	0010352250125A
XXXL	0010322230145A	0010322250145A	0010352250145A

S	65.4-68.9 in	121-150 lbs	34.6-36.2 in
M	66.9-70.1 in	141-172 lbs	37.0-39.4 in
L	69.3-72.4 in	165-194 lbs	38.6-40.9 in
XL	70.1-74.4 in	185-214 lbs	40.2-43.3 in
XXL	73.2-76.4 in	203-238 lbs	42.9-45.7 in
XXXL	75.6-78.0 in	240-260 lbs	44.9-47.2 in

## **GHOST 3.5 MM**



3.5 mm



TWO-PIECE







AQUASTOP ON FACE WRISTS / ANKLES CAMOUFLAGE





Superelastic two-piece camouflage neoprene suit. Exclusive SEAC® camouflage fabric in blue. Suit glued and blind stitched. Coated fabric on the outside and open-cell interior.

ULTRASTRETCH

Anatomic and preformed cut on the arms/knees/back, featuring Aquastop around the face and at the wrists and ankles with the SSRS System (super-stretch round seal).

Jacket in 3.5 mm with incorporated hood, scratch-proof Powertext forearm guards, beaver tail closure with two plastic grommets and melco tape chest pad.

High-waisted pant, 3.5 mm thick with scratch-proof Powertex fabric knee pads.

SEAC® exclusive superstretch camouflage fabric.





BLUE	JACKET 3.5 mm	PANT 3.5 mm
S	0010307270040A	0010337270040A
M	0010307270055A	0010337270055A
L	0010307270080A	0010337270080A
XL	0010307270105A	0010337270105A
XXL	0010307270125A	0010337270125A
XXXL	0010307270145A	0010337270145A

MAN			CHEST
S	65.4-68.9 in	121-150 lbs	34.6-36.2 in
M	66.9-70.1 in	141-172 lbs	37.0-39.4 in
L	69.3-72.4 in	165-194 lbs	38.6-40.9 in
XL	70.1-74.4 in	185-214 lbs	40.2-43.3 in
XXL	73.2-76.4 in	203-238 lbs	42.9-45.7 in
XXXL	75.6-78.0 in	240-260 lbs	44.9-47.2 in


## **BLACK SHARK**












www.seacsub.com NEW 2021









SIZE	7 mm	5 mm	3 mm
S	0010362230040A	0010362250040A	0010362270040A
M	0010362230055A	0010362250055A	0010362270055A
L	0010362230080A	0010362250080A	0010362270080A
XL	0010362230105A	0010362250105A	0010362270105A
XXL	0010362230125A	0010362250125A	0010362270125A
XXXL	0010362230145A	0010362250145A	0010362270145A

S	65.4-68.9 in	121-150 lbs	34.6-36.2 in
M	66.9-70.1 in	141-172 lbs	37.0-39.4 in
L	69.3-72.4 in	165-194 lbs	38.6-40.9 in
XL	70.1-74.4 in	185-214 lbs	40.2-43.3 in
XXL	73.2-76.4 in	203-238 lbs	42.9-45.7 in
XXXL	75.6-78.0 in	240-260 lbs	44.9-47.2 in

## **MAKAIRA 2MM**











2 mm

TWO-PIECE AQUASTOP EXCLUSIVE CAMOUNT

Two-piece wetsuit, with hooded jacket and high-waisted pants, in 2-mm double-lined neoprene with a Seac exclusive camo blue lining. Melco chest pad and reinforcements in 3D polyurethane on the knees and forearms. Lycra Seal Aquastop on the hood around the face and on the wrists and ankles. Closure system at the wrists and ankles with superelastic Lycra border. Ample elbow and knee pads in Print PU. Melco chest pad.



SIZE	PN	
S	0010084013040A	
M	0010084013055A	
L	0010084013080A	
XL	0010084013105A	
XXL	0010084013125A	
XXXL	0010084013145A	

MAN			CHEST
S	65.4-68.9 in	121-150 lbs	34.6-36.2 in
M	66.9-70.1 in	141-172 lbs	37.0-39.4 in
L	69.3-72.4 in	165-194 lbs	38.6-40.9 in
XL	70.1-74.4 in	185-214 lbs	40.2-43.3 in
XXL	73.2-76.4 in	203-238 lbs	42.9-45.7 in
XXXL	75.6-78.0 in	240-260 lbs	44.9-47.2 in

## **BODY FIT CAMO 1.5 MM**







THICKNESS 1.5 mm

BACK VERTICAL ZIP

EXCLUSIVE SEAC® CAMOUFLAGE

One-piece suit with rear zip in 1.5 mm double-lined neoprene. Exclusive outer coating in SEAC® green/blue camo. Melco chest pad and Tatex Print PU knee pads. Preformed cut for better adherence to the body. Rear zip with highly durable slider. Tatex Print PU knee pads. Chest pad in melco.

MAN	HEIGHT	WEIGHT	CHEST
S	65.4-68.9 in	121-150 lbs	34.6-36.2 in
M	66.9-70.1 in	141-172 lbs	37.0-39.4 in
L	69.3-72.4 in	165-194 lbs	38.6-40.9 in
XL	70.1-74.4 in	185-214 lbs	40.2-43.3 in
XXL	73.2-76.4 in	203-238 lbs	42.9-45.7 in
XXXL	75.6-78.0 in	240-260 lbs	44.9-47.2 in



SIZE	PN
S	0010055014040A
M	0010055014055A
L	0010055014080A
XL	0010055014105A
XXL	0010055014125A
XXXL	0010055014145A







# **PIRAÑA**





85% POLYESTER 15% SPANDEX

TWO-PIECE

Two-piece suit composed of hooded jacket and high-waisted pants. Model entirely in Elastane fabric. Supratex-lined chest pad in 7 mm neoprene. Lycra finishing around the face, wrists, and ankles. Camouflage design in shades of green, yellow, and brown. 3D PU pads on the knees, elbows, and lower back. Beaver tail closure with Velcro.

MAN	HEIGHT	WEIGHT	CHEST
S	65.4-68.9 in	121-150 lbs	34.6-36.2 in
M	66.9-70.1 in	141-172 lbs	37.0-39.4 in
L	69.3-72.4 in	165-194 lbs	38.6-40.9 in
XL	70.1-74.4 in	185-214 lbs	40.2-43.3 in
XXL	73.2-76.4 in	203-238 lbs	42.9-45.7 in
XXXL	75.6-78.0 in	240-260 lbs	44.9-47.2 in

SIZE	PN
S	0010086018040A
M	0010086018055A
L	0010086018080A
XL	0010086018105A
XXL	0010086018125A
XXXL	0010086018145A



#### **ANATOMIC CAMO**











COMFORT FIT



PACKAGE 6 PAIR / SIZE

SIZE	GREEN CAMO	BLUE CAMO
S	0160045067040A	0160030067040A
M	0160045067055A	0160030067055A
L	0160045067080A	0160030067080A
XL	0160045067105A	0160030067105A
XXL	0160045067125A	0160030067125A

## **AMARA COMFORT**





THICKNESS 1.5 mm







		SEEL	
SIZE	PN		
XS	0160055071025A		
S	0160055071040A		

SIZE	PN		
XS	0160055071025A		
S	0160055071040A		
M	0160055071055A		
L	0160055071080A		
XL	0160055071105A		
XXL	0160055071125A		

## **SEAL SKIN CAMO**



SIZE		3
OIZE	GREEN CAMO	BLUE CAMO
S	0210090068040A	0210060068040A
M	0210090068055A	0210060068055A
L	0210090068080A	0210060068080A
XL	0210090068105A	0210060068105A
XXL	0210090068125A	0210060068125A









#### **ANATOMIC**





SIZE	7 mm	5 mm	3.5 mm
S	0210018060040A	0210018064040A	0210018067040A
M	0210018060055A	0210018064055A	0210018067055A
L	0210018060080A	0210018064080A	0210018067080A
XL	0210018060105A	0210018064105A	0210018067105A
XXL	0210018060125A	0210018064125A	0210018067125A

## **STANDARD HD**



SIZE	PN
XS	0210017069025A
S	0210017069040A
M	0210017069055A
L	0210017069080A
XL	0210017069105A
XXL	0210017069125A

0.22	
XS	0210017069025A
S	0210017069040A
M	0210017069055A
L	0210017069080A
XL	0210017069105A
XXL	0210017069125A

## **TECHNICAL CHARACTERISTICS\***




BOOT SIZE	XXS	XS	S	M	L	XL	XXL
USA SIZE	4 - 4.5	4.5 - 5.5	5.5 - 6.5	7 - 8	8.5 - 9.5	10 - 11	11.5 - 12.5
EU SIZE	36 - 37	37 - 38	38 - 39	40 - 41	42 - 43	43 - 44	45 - 46



GLOVE SIZE	XS	S	M	L	XL	XXL
PALM CIRCUMFERENCE - IN	7.48 - 8.07	8.07 - 8.66	8.66 - 9.25	9.25 - 9.84	9.84 - 10.43	10.43 - 11.02
PALM CIRCUMFERENCE - CM	19 - 20.5	20.5 - 22	22 - 23.5	23.5 - 25	25 - 26.5	26.5 - 28

<sup>\*</sup> The measures are indicative and may vary depending on the model.



#### **SEAMATE**



PN

0950007000000A







31.4" x 23.6"

D-RING UNDER THE KEEL

HIGH-VISIBILITY COLORING

#### **TORPEDO BUOY**

3 Straps and 2 technopolymer hooks to fasten accessories.
 New hi-vis yellow color.







**NEW** 2021

33.0" x 12.6"



LINE 82 ft

PN

148

0950015000000A

#### **MARSIGLIESE BELT**







PN

0990005012000A

#### **RUBBER BELT, STAINLESS STEEL BUCKLE**







PN

0990006004000A

#### **RUBBER BELT, NYLON BUCKLE**







PN

0990006005000A

#### **STAINLES STEEL BUCKLE**





PN





#### **MOTUS CARBON**







22° ANGLE



MAX COMPACT MAX POWER



EXTREME RESISTANCE



100% CARBON BLADE




INTERCHANGEABLE BLADE



PACKAGE 1 PAIR / CASE





- Foot pocket: made in two materials with different densities. Hard thermoplastic rubber for the sole and ribs, and soft around the foot to optimize the comfort/performance ratio. 22° angle between the blade and the foot pocket to optimize thrust.
   Blade material: Unidirectional 100% pre-preg carbon and internal reinforcements in carbon with 45° weave.

EU SIZES	USA SIZES	PN
36/38	4.5 - 5.5	0710040520452A
39/40	6.5 - 7	0710040520466A
41/42	8 - 8.5	0710040520476A
43/44	9.5 - 10	0710040520486A
45/46	11 - 12	0710040520496A
47/48	12.5 - 13.5	0710040520506A

#### **M-POWER**









22° ANGLE



MAX COMPACT MAX POWER



INTERCHANGEABLE BLADE



PACKAGE 2 PAIR / CASE



M-POWER BLADE STIFFER FOR MORE POWER





EU SIZES	USA SIZES	PN
36/38	4.5 - 5.5	0710050520452A
39/40	6.5 - 7	0710050520466A
41/42	8 - 8.5	0710050520476A
43/44	9.5 - 10	0710050520486A
45/46	11 - 12	0710050520496A
47/48	12.5 - 13.5	0710050520506A

## **MOTUS | MOTUS CAMO**











- Model: interchangeable blade fin with closed foot pocket.
- Foot pocket material: made in two materials with different densities. Hard thermoplastic rubber for the sole and ribs, and soft around the foot to optimize the comfort/performance ratio. 22° angle between the blade and the foot pocket to optimize thrust.
  Blade material: special technopolymer with a formula that emphasizes the flexibility and responsiveness of the blade.
  Finish (camo): The special brown, green, red and blue camouflage effect is achieved using ICS (injection color system) technology.

EU SIZES	USA SIZES	BLACK	GREEN CAMO	RED CAMO	BLUE CAMO	GREY CAMO
36/38	4.5 - 5.5	0710025520452A	0710025216452A	0710025215452A	0710025203452A	0710025206452A
39/40	6.5 - 7	0710025520466A	0710025216466A	0710025215466A	0710025203466A	0710025206466A
41/42	8 - 8.5	0710025520476A	0710025216476A	0710025215476A	0710025203476A	0710025206476A
43/44	9.5 - 10	0710025520486A	0710025216486A	0710025215486A	0710025203486A	0710025206486A
45/46	11 - 12	0710025520496A	0710025216496A	0710025215496A	0710025203496A	0710025206496A
47/48	12.5 - 13.5	0710025520506A	0710025216506A	0710025215506A	0710025203506A	0710025206506A

#### **SET TRIS MOTUS**

Coordinated set consisting of Motus fins, One mask and Jet snorkel. The set comes in its own water resistant zip bag for additional convenience.





EU SIZES	USA SIZES	BLACK	GREEN CAMO	BLUE CAMO	GREY CAMO
36/38	4.5 - 5.5	0890085520452A	0890087216452A	0890086203452A	0890085206452A
39/40	6.5 - 7	0890085520466A	0890087216466A	0890086203466A	0890085206466A
41/42	8 - 8.5	0890085520476A	0890087216476A	0890086203476A	0890085206476A
43/44	9.5 - 10	0890085520486A	0890087216486A	0890086203486A	0890085206486A
45/46	11 - 12	0890085520496A	0890087216496A	0890086203496A	0890085206496A
47/48	12.5 - 13.5	0890085520506A	0890087216506A	0890086203506A	0890085206506A

#### **SET TRIS M-POWER**

Set Tris M-Power with M-Power long fins, M70 diving mask and Jet snorkel.





EU SIZES	USA SIZES	PN
36/38	4.5 - 5.5	0890088520452A
39/40	6.5 - 7	0890088520466A
41/42	8 - 8.5	0890088520476A
43/44	9.5 - 10	0890088520486A
45/46	11 - 12	0890088520496A
47/48	12.5 - 13.5	0890088520506A



#### **MOTUS BLADES**

















	COLOR	PN
	CARBON	0730025520000A
	BLACK	0730017520000A
3	BLUE CAMO	0730027160000A
3	GREEN CAMO	0730027880000A
3	RED CAMO	0730027720000A
3	GREY CAMO	0730027400000A
	M-POWER	0730050520000A

#### **MOTUS FIN FOOT POCKET**

EU SIZES	USA SIZES	PN
36/38	4.5 - 5.5	0730016520452A
39/40	6.5 - 7	0730016520466A
41/42	8 - 8.5	0730016520476A
43/44	9.5 - 10	0730016520486A
45/46	11 - 12	0730016520496A
47/48	12.5 - 13.5	0730016520506A



#### **MOTUS FIN ASSEMBLY KIT**



PN

0730019000000A

## **SHOUT | SHOUT CAMO**

















under all conditions.

• Model: rigid long-blade fin designed to deliver optimal propulsion

• Foot pocket material: made in thermoplastic rubber, highly prized for its comfort, and designed for use with or without a neoprene booty.

Blade material: themoplastic technopolymer with a high modulus of elasticity. The special grey and green camouflage effect is achieved using ICS (injection color system) technology.

NON.	Y	salvar.	
EU SIZ	ZES	USA SIZES	

4	EU SIZES	USA SIZES	GREEN CAMO	GREY CAMO	BLACK
, m	36/38	4.5 - 5.5	0710044216452A	0710044206452A	0710044520452A
	39/40	6.5 - 7	0710044216466A	0710044206466A	0710044520466A
	41/42	8 - 8.5	0710044216476A	0710044206476A	0710044520476A
	43/44	9.5 - 10	0710044216486A	0710044206486A	0710044520486A
	45/46	11 - 12	0710044216496A	0710044206496A	0710044520496A
	47/48	12.5 - 13.5	0710044216506A	0710044206506A	0710044520506A

## **TALENT | TALENT CAMO**









PACKAGE 2 PAIRS / CASE





 Blade material: themoplastic technopolymer with a high modulus of elasticity. The special grey and green camouflage effect is achieved using ICS (injection color system) technology.



4	EU SIZE
TEM	36/38
	39/40
	41/42

4	EU SIZES	USA SIZES	GREEN CAMO	GREY CAMO	BLACK
EW	36/38	4.5 - 5.5	0710024216452A	0710024206452A	0710024520452A
	39/40	6.5 - 7	0710024216466A	0710024206466A	0710024520466A
	41/42	8 - 8.5	0710024216476A	0710024206476A	0710024520476A
	43/44	9.5 - 10	0710024216486A	0710024206486A	0710024520486A
	45/46	11 - 12	0710024216496A	0710024206496A	0710024520496A
	47/48	12.5 - 13.5	0710024216506A	0710024206506A	0710024520506A







#### **AJNA**

















Frameless technology with reduced internal volume.





VERSION	S/BL
BLACK/WHITE	0750067003120A
BLACK	0750067003520A



FITS ANY FACE PERFECTLY

<u>&gt;</u>	3 mm TEMPERED GLASS
	COMFORT SILICONE SKIRT
<u> </u>	OPTIMIZED LENS INCLINATION
P	LIQUID SILICONE STRAP
**	NEW TECHNOLOGY BUCKLE
	NEW MASK CASE INCLUDED
**	REDUCED INTERNAL VOLUME
4	PERFECT FITTING

#### **EAGLE LS**
























MODEL	S/BL-LS
BLACK/YELLOW	0750066004529A
BLACK/SILVER	0750066004540A



+45% UNDERWATER VISIBILITY



3 mm TEMPERED GLASS



COMFORT SILICONE SKIRT



LIQUID SILICONE STRAP



NEW TECHNOLOGY BUCKLE
NEW MASK CASE INCLUDED



SPECIAL MIRRORED LENSES VERSION



PERFECT FITTING



REDUCED INTERNAL VOLUME



PACKAGE 6 PIECES / CASE

#### **EAGLE**













Extremely comfortable and compact mask with a reduced internal volume.









MODEL	S/BL
BLACK/RED	0750066003720A
BLACK/GREEN	0750066003880A
BLACK	0750066003520A

















TEMPERED GLASS



PURE SILICONE



PUNE SILICUNE



SILICONE STRAP



REDUCED INTERNAL VOLUME



RIGID BOX



PACKAGE 6 PIECES / CASE

VERSION		S/COL
4	GREY CAMO	0750017003206A
4	GREEN CAMO	0750017070550A
4	BLUE CAMO	0750017015430A









## **M70**











TEMPERED GLASS



PURE SILICONE



SILICONE STRAP



LOWEST VOLUME ONLY 70 mm<sup>3</sup>



PERFECT FITTING



RIGID BOX



PACKAGE 6 PIECES / CASE

VERSION	S/COL
BLACK	0750030003520A
BLUE	0750030015160A
RED	0750030080720A

S/COL







#### **ONE**









TEMPERED GLASS



PURE SILICONE



SILICONE STRAP



EASY TOUCH BUCKLE



RIGID BOX



PACKAGE 6 PIECES / CASE



PN

0750017003520A

## COVE









TEMPERED GLASS



PURE SILICONE



SILICONE STRAP



PACKAGE 6 PIECES / CASE

PN 0750058003520A

## **LIQUID**







VERSION	S/BL	S/COL
RED	-	0840023080720A
BLUE	-	0840023015160A
BLACK	0840023003520A	-

## **JET**



	VERSION	S/COL
1	BLUE	0840014015160A
	GREEN	0840014070880A
	VERSION	CAMO
4	GREY CAMO	0840014003206A
3	GREEN CAMO	0840014070550A
4	BLUE CAMO	0840014015430A
	VERSION	S/BL
	BLACK	0840014003520A



#### **TURTLE**



PURE SILICONE



PACKAGE 12 PIECES / CASE





PN

0840031003520A

## **TOP FLEX**



PURE SILICONE



PACKAGE 12 PIECES / CASE








PN

0840034003520A



#### **GUUN 28**











Includes: Shark Laser Shaft with single upper barb (ø x cm) Power Red Dyneema circular sling (ø x cm)

	SHAFT	SLING
75/29.5	1320011070480A	1270029028048A
85/33.5	1320011070555A	1270029028054A
95/37.4	1320011070605A	1270029028060A
105/41.3	1320011070655A	1270029028064A
115/45.3	1320011070730A	1280029028072A

- Barrel: circular, with 28 mm diam. cross section. Made of extruded 6060 Series Anticorodal aluminum with lower rib. Integrated shaft guide.
- Muzzle: open, with seat for two circular slings and line fastening system to lock the shaft.
   Butt: ergonomically shaped, made in dual materials and differentiated densities. Ideal for extended use. Waterproof seal in the butt, even under extreme loads, thanks to double O-ring seated on a special independent pivoting internal drum.
- Triggering mechanism: in laser-cut stainless steel with antifriction polishing on every component.
- · Sling: double circular Progressive Power Red D Dyneema with specially formulated blend and coating to ensure greater resistance to abrasion and UV rays. Diameter 14.5 mm.
- Shaft: in 17-4 PH heat-treated stainless steel, Shark type with small laser-welded fins. Diameter 6.5 mm.
   Mechanism: shifted back to ensure the longest run and most power for the shaft.
   Included standard: Guun 30 m Reel (size 75/85) or Guun 50 m Reel without line (size 95/115).
   Two different handles of different sizes to adapt to any kind of hand.

SIZE (cm/in)	REEL (m/ft)	PN
75/29.5	30/98.4	1210027023000A
85/33.5	30/98.4	1210027027000A
95/37.4	50/164.1	1210027031000A
105/41.3	50/164.1	1210027035000A
115/45.3	50/164.1	1210027039000A

















EXTRA LIGHT 1.8 lbs (GUUN 28/85) INCLUDED

SHARK LASER SHAFT

Ø 6.5 mm

CIRCULAR BARREL Ø 28 mm

INTEGRATED SHAFT GUIDE

MECHANISM: INOX

DOUBLE CIRCULAR SLING INCLUDED

#### **GUUN 28 NAKED**



- Muzzle: open, with seat for two circular slings and line fastening system to lock the shaft.
- Triggering mechanism: in laser-cut stainless steel with antifriction polishing on every component.
   Mechanism: shifted back to ensure the longest run and most power for the shaft.









SIZE (cm/in)	PN
75/29.5	1210040023000A
85/33.5	1210040027000A
95/37.4	1210040031000A
105/41.3	1210040035000A
115/45.3	1210040039000A

#### **BLUE GUN**

- Barrel: made of extruded 6060 Series Anticorodal aluminum. Integrated shaft guide along the full length of

- Firing mechanism: stainless steel.
  Shaft: in 17-4 PH heat-treated stainless steel, Shark type with small laser-welded fins. Diameter 6.5 mm.
  Sling: double circular Progressive Power Blue D Dyneema with specially formulated blend and coating to ensure greater resistance to abrasion and UV rays. Diameter 16.0 mm.
- Optional: reel for sling guns.









Ø 6.5 mm



Ø 28 mm



SHAFT GUIDE



MECHANISM: INOX

	SHAFT	SLING
75/29.5	1320011070430A	1270032031050A
90/35.4	1320011070505A	1270032031054A
100/39.4	1320011070555A	1270032031062A
110/43.3	1320011070605A	1270032031066A
	90/35.4	75/29.5 1320011070430A 90/35.4 1320011070505A 100/39.4 1320011070555A

SIZE (cm/in)	PN
75/29.5	7210005023000A
90/35.4	7210005029000A
100/39.4	7210005033000A
110/43.3	7210005038000A

#### **KILLER**

- Barrel: black, made in extruded Anticorodal aluminum to maximize durability and prevent bending.
- · Triggering mechanism: in stainless steel and reinforced polyamide to ensure extreme functionality and reliability.
- Trigger, line-releaser, and safety in shockproof, high-performance nylon.
- Shaft: Tahitian, in 6.5 mm stainless steel.
  Sling: pair of black X-Powerfull slings, 16 mm diameter, with wishbone 4 mm inox.
  Handle: white for good visibility when retrieving the weapon.





28

MM





Includes: AISI 303 shaft with single upper barb (ø x cm)
Dual Power Flex Black slings (ø x cm)

		SHAFT	SLING	
	50/19.7	1320023070305A	1270020031014A	
	60/23.6	1320023070355A	1270020031016A	
	75/29.5	1320023070430A	1270020031020A	
	90/35.4	1320023070505A	1270020031022A	
	100/39.4	1320023070555A	1270020031024A	







INOX

TAHITIAN SHAFT INOX CIRCULAR BARREL Ø 6.5 mm Ø 28 mm

SIZE (cm/in)	PN
50/19.7	1210038013000A
60/23.6	1210038017000A
75/29.5	1210038023000A
90/35.4	1210038029000A
100/39.4	1210038033000A


#### **STING**

- Barrel: in extruded Anticorodal aluminum to maximize durability and prevent bending.
- Muzzle: for parallel slings.
- Butt: new anatomical handle and chest pad.
- Triggering mechanism: in stainless steel and reinforced polyamide to ensure functionality and reliability. Trigger, line-releaser, and safety in shockproof, high-performance nylon.
- · Sling: Latex pair, diameter 16 mm.
- Shaft: PR80 in treated steel. Diameter 7 mm. M7 threading. Line fastening system directly on the shaft, as in professional models.

Included: line in nylon/polyester and harpoon with M7 threading.













INOX

PR80 SHAFT INOX Ø 7.0 mm / M7 THREADING

CIRCULAR BARREL Ø 28 mm

SIZE (cm/in) PN 35/13.8 1210014007000A 45/17.7 1210014011000A 55/21.7 1210014015000A 65/25.6 1210014019000A 75/29.5 1210014023000A 85/33.5 1210014027000A

#### **POLPONE**

Spring-loaded speargun with anodized aluminum barrel.
Length: 23.6".
Shaft included.







SPRING POWER



M7



23.6 in



PN 1210001013000A







New rubber handle. More ergonomic for a natural and secure grip, without compressing nerves, suitable for all hands, with or without gloves.



ASSO Ø 8 mm



Ø 13 mm

- With power regulation
   Outer barrel: aluminum allow cylinder, diameter 40 mm.
   Included: steel shaft, injector, harpoon, harpoon loader, line, carrying bag.

ASSO W/R (cm/in)	SHAFT (cm/in)	PN
50/19.7	52.3/20.6	1150020013001A
65/25.6	67.3/26.5	1150020019001A
75/29.5	77.3/30.4	1150020023001A
90/35.4	87.3/34.4	1150020029001A
115/45.3	113.3/44.6	1150020039001A
135/53.1	132.3/52.1	1150020047001A





New rubber handle. More ergonomic for a natural and secure grip, without compressing nerves, suitable for all hands, with or without gloves.



ASSO Ø 8 mm



Ø 13 mm

- Without power regulation
   Outer barrel: aluminum allow cylinder, diameter 40 mm.
   Included: steel shaft, injector, harpoon, harpoon loader, line, carrying bag.

ASSO (cm/in)	SHAFT (cm/in)	PN
30/11.8	24.3/9.6	1150050005002A
40/15.7	37.3/14.7	1150050009002A
50/19.7	52.3/20.6	1150050013002A
65/25.6	67.3/26.5	1150050019002A
75/29.5	77.3/30.4	1150050023002A

#### **ASSO 30 HOLSTER**







#### SINGLE LINE + LINE LOCK

Included: 3 line-locks.



PN 1250013000000A

# 

5 m / 16 ft











PN 1340013000000A



#### **DYNEEMA**



DIAMETER	STRENGTH	PN
1 mm	265 lbs	1110009000000A
2 mm	550 lbs	1110010000000A







-- 20225 19422567.

100 m / 328 ft



50 m / 164 ft

#### **UNIVERSAL LOADER**





#### **HARPOON LOADER**







PΝ

1340012000000A

PN 1340010000000A

#### **PNEUMATIC GUN REEL**









CAPACITY





COMPATIBLE: Blue Gun, Red Gun, Thunder, X-Fire, Ocean, Combat, Ghost, Bolt.

PN

1250275000000A

1190001000000A

#### **GUUN REEL**

- Anti-tangle tensioning system.Fast tensioning system just with 1/3 turn.
- Reels for Guun and Condor series.







CAPACITY (m/ft)	PN
30/98.4	1250238000000A
50/164.1	1250240000000A

# **FLOAT**

UNIVERSAL FOR ANY SLING GUN MODEL

#### **LATEX BUNGEE**

Handy for easily hooking line to the line releaser.





DIAMETER	PN
28 mm	1190178000000A
30 mm	1190179000000A

PN

1250161000000A

#### STANDARD WISHBONE





#### **ARTICULATED WISHBONE**





PΝ

1250077000000A

1250076000000A

#### **SHAFT KIT**

Spring, line guide, Ø 7/8 mm ring.









DIAMETER	PN
7 mm	1340003000000A
8 mm	1340004000000A

#### PNEUMATIC GUN OIL

Oil for compressed-air guns, 100 ml.





PN

1190021000000A

# **SHARK LASER SHAFT** SHARK LASER SHAFT 105 cm > 125 cm 130 cm > 180 cm Ø 6/7 mm SIZE (cm/in) PΝ 105/41.3 1320011070430A 115/45.3 1320011070480A 1320011070505A 120/47.2 130/51.2 1320011070555A 140/55.1 1320011070605A

150/59.1

165/65.0

1320011070655A

1320011070730A

#### **STAINLESS STEEL**





SIZE (cm/in)	PN
80/31.5	1320023070305A
90/35.4	1320023070355A
105/41.3	1320023070430A
120/47.2	1320023070505A
130/51.2	1320023070555A



#### **PR 80 THREADED SHAFT**





SIZE (cm/in)	PN
50/19.7	1320009090155A
60/23.6	1320009090205A
70/27.6	1320009090255A
85/33.5	1320009090330A
95/37.4	1320009090380A
105/41.3	1320009090430A



#### **ASSO SHAFT**



SIZE (cm/in)	PN
30/11.8	1320001130020A
40/15.7	1320001130092A
50/19.7	1320001130167A
65/25.6	1320001130242A
75/29.5	1320001130292A
90/35.4	1320001130342A
115/45.3	1320001130469A
135 cm	1320001130567A



#### **ASSO STAINLESS STEEL SHAFT**



SIZE (cm/in)	PN
30/11.8	1320002130020A
40/15.7	1320002130092A
50/19.7	1320002130167A
65/25.6	1320002130242A
75/29.5	1320002130292A
90/35.4	1320002130342A
115/45.3	1320002130469A
135/53.1	1320002130567A



#### **POLPONE THREADED SHAFT**

#### **POLPONE TRI-TIP BARB**









PN

1320010090093A

PN

1360012014002A

# **TWO BARBS 7 MM**



**TWO BARBS 7 MM** 100% STAINLESS STEEL







3.1 in

PN

1410003002000A

PN

1410002004000A

**6-7 MM ADAPTOR** 6 mm male to 7 mm female adaptor.



#### **TWO BARBS 6 MM 100% STAINLESS STEEL**







M6



3.1 in

PN

7340004000000A

PN 7410003004000A

#### **DUAL AMBER LATEX**












STANDARD **POWER** 



DRY ZIP BAG



#### **DUAL X-POWERFULL**







100% NATURAL



STANDARD POWER

DRY ZIP BAG

SIZE (cm/in) PN (16 mm) 14/5.5 1270020031014A 16/6.3 1270020031016A 20/7.9 1270020031020A 1270020031022A 22/8.7 1270020031024A 24/9.4





**
100% NATURAL







DRY ZIP BAG

#### SIZE (cm/in) PN (14.5 mm) 48/18.9 1270029028048A 54/21.3 1270029028054A 60/23.6 1270029028060A 64/25.2 1270029028064A 72/28.3 1270029028072A

POWER BLUE D	



100% NATURAL LATEX

222

HIGH POWER



DRY ZIP BAG

SIZE (cm/in)	PN (16 mm)
50/19.7	1270032031050A
54/21.3	1270032031054A
62/24.4	1270032031062A
66/26	1270032031066A





#### **SHUTTLE**

PATENT PENDING













Short fin ideal for snorkeling and swimming activities, manufactured in 100% silicone.
Two hardness levels: "Sport", ideal for snorkeling, and "Power", perfect for swimming training sessions.









POWER	34/35	36/37	37/38	38/39
BLACK/RED	0710049538441A	0710049538451A	0710049538456A	0710049538461A
	40/41	42/43	43/44	45/46
	0710049538471A	0710049538481A	0710049538486A	0710049538496A
SPORT	34/35	36/37	37/38	38/39
BLACK/BLUE	0710048526441A	0710048526451A	0710048526456A	0710048526461A
	40/41	42/43	43/44	45/46
	0710048526471A	0710048526481A	0710048526486A	0710048526496A



#### SHUTTLE POWER

SHUTTLE POWER version is designed for the intermediate or expert swimmer

who wants to achieve a complete work-out by improving speed, muscle and heart training by swimming faster and longer.

SHUTTLE POWER facilitates the training of thighs and buttocks muscles, calves and lumbar as well, as to increase the whole swimmer's resistance. The advantage of using the new 100% silicone SHUTTLE is that this version guarantees an excellent kicking frequency by exploiting a movement that is extremely similar to the natural one.

SIZE	TOTAL LENGTH
34/35	280 mm
36/37	293 mm
37/38	308 mm
38/39	310 mm
40/41	313 mm
42/43	318 mm
43/44	323 mm
45/46	336 mm



#### SHUTTLE SPORT

SHUTTLE SPORT version is addressed to beginner, or intermediate, level swimmer who instead is looking at an additional propeller while kicking.

SHUTTLE SPORT is the ideal support to strengthen thighs, buttocks, calves and

lower back muscles.
The advantage of using the new 100% silicone SHUTTLE it that this unique model is granting an excellent kick frequency by exploiting a movement that is extremely similar to the natural one.

#### **TEAM**

- Small blade, full-foot fin, made in 3 materials.
  Excellent for snorkeling, and ideal for leg workouts in the pool.







EU SIZES	USA SIZES	PN
34/35	3 - 4	0710028160441A
36/37	4 - 4 1/2	0710028160451A
38/39	5 ½ - 6 ½	0710028160461A
40/41	7 - 8	0710028160471A
42/43	8 ½ - 9 ½	0710028160481A
44/45	10 - 11	0710028160491A
46/47	12 - 12 ½	0710028160501A

# **VELA**

- Short fin designed for training in the pool.
  Ergonomic foot pocket and supple blade.
  Edge fully covered in rubber to prevent blows.
  Can also be used for snorkeling.







EU	JSIZES	USA SIZES	PN
3	34/35	3 - 4	0710046160441A
- (	36/37	4 - 4 1/2	0710046160451A
3	38/39	5 ½ - 6 ½	0710046160461A
-	40/41	7 - 8	0710046160471A
	42/43	8 ½ - 9 ½	0710046160481A
-	44/45	10 - 11	0710046160491A
	46/47	12 - 12 1/2	0710046160501A



#### **DIABLO**

- 180° field of vision
- Pulsar+ buckle system100% UV Protection

- Anti-fog
   High-quality liquid silicone
   Goggle box
   Scratch-resistant lens

- Hypoallergenic organic silicone









MODEL	LT	LF
BLUE	1520050181070A	-
BLACK/SILVER	1520050522070A	-
DI VCK/LIME	_	15200505310604

# **PROFILE**

- 180° field of visionPulsar+ buckle system100% UV Protection
- Anti-fog
- High-quality liquid silicone
- Goggle box
- Scratch-resistant lensHypoallergenic organic silicone











MODEL	LT	LF
WHITE/BLUE	1520042163070A	-
BLACK/WHITE	1520042524070A	-
BLACK/BLUE	-	1520042525060A

## **VISION HD**

- 180° field of visionPulsar+ buckle system100% UV Protection
- Anti-fog
- · High-quality liquid silicone
- Goggle box
- Scratch-resistant lens
- Hypoallergenic organic silicone







MODEL	S/KL	
BLUE	1520014160000A	
RED	1520014720000A	

## **SONIC**













- 180° field of vision
  Pulsar+ buckle system
  100% UV Protection
  Anti-fog
  High-quality liquid silicone
  Goggle box
  Scratch-resistant lens
  Hypoallergenic organic silicone

















MODEL	S/KL	S/BL
BLACK/RED	1520030538041A	1520030538042A
WHITE/BLUE	1520030125041A	-
BLACK/WHITE	1520030131041A	-
WHITE/PINK	1520030132041A	-
BLACK/GREEN	-	1520030542042A

# **VISION JR**

- 180° field of vision
   Buckle with Pulsar+ system 100% UV Protection
   Anti-fog
   High-quality liquid silicone

- Goggle box
  Scratch-resistant lens
  Hypoallergenic organic silicone





MODEL	S/KL
BLUE	1520015160000A
YELLOW	1520015360000A



#### **RICKY**

- Frameless mask with a special hypoallergenic elastomer skirt.
   Shock-resistant polycarbonate safety lens.
   Easy Touch Buckle, with quick-adjust button on the strap.

- Liquid silicone strap.
  Ideal for snorkeling.
  Suitable for children from 3 to 6 years old.













MODEL	LT	LAZ
BLUE	1520053160070A	-
AQUAMARINE	1520053017070A	-
PINK	-	1520053685050A

# **LYNX**

- 180° field of visionPulsar+ buckle system100% UV Protection
- Anti-fog
- Goggle box
- Scratch-resistant lens
- Hypoallergenic organic silicone











MODEL	LT	LF
BLACK/ORANGE	-	1520055523060A
BLACK/WHITE	1520055524070A	1520055524060A

# **AXIS**

- 180° field of visionPulsar+ buckle system100% UV Protection
- Anti-fog
- Goggle box
- Scratch-resistant lensHypoallergenic organic silicone











MODEL	LT	LF
BLACK/SILVER	1520056522070A	1520056522060A
BLACK/LIME	-	1520056531060A

# **AQUATECH**

- 180° field of visionPulsar+ buckle system100% UV Protection

- Anti-fogGoggle boxScratch-resistant lens
- Hypoallergenic organic silicone









MODEL	S/KL	S/BL
BLACK/GREEN	-	1520032542000A
BLACK/RED	-	1520032538000A
WHITE/PINK	1520032132000A	-
WHITE/SILVER	1520032124000A	-
SILVER/CLEAR BLUE	1520032086000A	-
BLACK/CLEAR	1520032818000A	-

# **RAY**

- 180° field of vision100% UV Protection
- Anti-fog

- Goggle box
   Scratch-resistant lens
   Hypoallergenic organic silicone
   Quick Fit + strap
- With special mirrored lens treatmentAdjustable nose bridge





PN

#### **RACE**

- 180° field of vision100% UV ProtectionAnti-fog

- Goggle box
   Scratch-resistant lens
   Hypoallergenic organic silicone
   Quick Fit + strap
   With special mirrored lens treatment
- Adjustable nose bridge





PN

1520011160000A

## **RITMO**

- 180° field of visionBuckle with Pulsar+ system100% UV Protection
- Anti-fog
- Goggle box
- Scratch-resistant lens
- Hypoallergenic organic silicone







1520037538000A

#### SPY

- 180° field of visionBuckle with Pulsar+ system100% UV Protection
- Anti-fog
- Goggle box
- Scratch-resistant lensHypoallergenic organic silicone









MODEL		S/KL
	BLUE	1520012160000A
	BLACK	1520012520000A

#### **JUMP**

- 180° field of visionEasy ADJ buckle100% UV Protection

- Anti-fog
   Scratch-resistant lens
   Hypoallergenic organic silicone
   Adjustable nose bridge







MODEL	S/KL
BLUE	1520010160000A
BLACK	1520010520000A

# **RITMO JR**

- 180° field of visionPulsar+ buckle system100% UV Protection
- Anti-fog
- Goggle box
- Scratch-resistant lens
- Hypoallergenic organic silicone







PN

1520039178000A

## **BUBBLE**

- 180° field of vision
   Easy ADJ buckle
   High-quality liquid silicone
- Goggle box
- Scratch-resistant lens
- Hypoallergenic organic silicone












MODEL	S/KL
BLUE	1520009160000A
PINK	1520009680000A





## **MATE SWIM**



PN

0920015000000A

# **EAR PLUGS**



PN 1520004000000A





# **NOSE CLIPS**



PN 1520003000000A







Quick release on both sides

## **SILICONE**









MODEL	S/KL	
WHITE	7520027120000A	
BLUE	7520027160000A	

# SILICONE JR









MODEL	S/KL
YELLOW	7520028360000A
BLUE	7520028160000A

# **LYCRA**









MODEL	S/KL
WHITE	7520029120000A
BLACK	7520029520000A

# LYCRA JR









MODEL	S/KL
RED	7520030720000A
BLUE	7520030160000A





scuba | snorkeling | freediving | swimming | spring 2021

#### Headquarter

SEACSUB S.p.a.

Via D. Norero, 29

San Colombano Certenoli

(GE) 16040

Italy

Phone +39 0185 356301

Fax +39 0185 356300

seacsub@seacsub.com

#### U.S.A. Branch

SEAC USA Corp.

7855 NW 12th Street, Suite 219

Miami, FL 33126

USA

Phone +1 786 580 3695

seac.usa@seacusa.com









seacsub.com